CATALOG

I S S U E 1 , 2 0 2 3

Lubricants & Related Products for: Farming • Trucking • Marine • Automotive • Construction • Industry • Aviation











We Care. You Matter. We Deliver!

Mobil Delvac^a

Mobil SHC[®]

Mobil Diesel Efficient[®]

TEXAS ENTERPRISES, INC.

We're a fifth-generation family-owned and professionally operated company. But family doesn't just describe us, it defines us.

Our employees. Our customers. Our partners. To us, you're family.

Your success drives everything we do.

You're the reason we go the extra mile (and a whole lot further) each and every day.

Providing the most comprehensive catalog of products. Partnering with the top brands and suppliers in the industry. Delivering exceptional customer service, day or night, rain or shine. Creating enduring relationships that ensure quality and consistency.

Because, when it's all said and done, that's what you do for people you care about. Those who matter to you most.

You deliver for them.

TEXAS ENTERPRISES, INC. | FUELED BY FAMILY



EXonMobil



Commitment to Brand and Product Integrity

ExxonMobil Fuels & Lubricants and Research and Engineering companies recognize that Brand Integrity, Product Integrity, and customer satisfaction are of primary importance to our success. Our absolute **Commitment to Brand and Product Integrity** requires clear understanding and proactive management of product quality, performance, representation, and regulatory compliance, customer experience, and brand identity. Mindful of our responsibility to the consumers and customers we serve directly and to the channel partners who distribute our products, we strive to understand their requirements and concerns and to merit their business by responding effectively to their needs.

Specifically, we are committed to:

- high-quality products that meet or exceed equipment specifications and consumer and customer needs under all reasonable circumstances;
- services that reliably meet responsible standards of performance, efficiency, and courtesy;
- accurate and sufficient information about our products and services, including details of guarantees and warranties, so that consumers and customers can make informed purchasing decisions; and
- honesty in advertising and other communications.


In addition, where products reach the ultimate consumer through independent parties, such as service station dealers and distributors, we work closely with them to ensure brand and product integrity through their operations.

To deliver our **Commitment to Brand and Product Integrity**, we continually evaluate and improve our global brand and product integrity management system framework.

TEXAS ENTERPRISES, INC.

Authorized ExxonMobil Distributor

TEXAS ENTERPRISES, INC.



Serving Texas & Eastern New Mexico

- United Oil & Grease Company Abilene
 2702 Industrial Blvd Abilene, TX 79605
 Ph: (325) 695-0150 Fax: (325) 695-7539
- United Oil & Grease Abilene Fuels
 325 South 13th Abilene, TX 79602
 Ph: (325) 672-8465 Fax: (325) 676-7779
- United Oil & Grease Company Lubbock
 3100 Clovis Rd. Lubbock, TX 79415
 Ph: (806) 763-1818 Fax: (806) 763-5447
- Mighty of DFW
 3524 Liston Lane Euless, TX 76040
 Ph: (817) 590-9770
- Allied Sales Company Austin
 5005 E. 7th Street Austin, TX 78702
 Ph: (512) 385-2167 Fax: (512) 385-0259
- Allied Sales Company Temple
 2702 Adams Ave. Temple, TX 76503
 Ph: (800) 220-8393 Fax: (254) 773-3073

- Hotsy Carlson Austin
 4711 E. 7th St. Austin, TX 78744
 Ph: (512) 442-2267 Fax: (512) 442-3190
- Hotsy Carlson Bryan
 1605 Gooseneck Dr. Bryan, TX 77808
 Ph: (979) 778-2747
- Hotsy Carlson Killeen
 5520 MLK Jr Blvd. Killeen , TX 76543
 Ph: (254) 200-1660 Fax: (254) 442-3190
- Golden West New Braunfels
 4320 S IH 35 New Braunfels, TX 78132
 Ph: (800) 288-6372 Fax: (830) 625-1924
- Colden West San Antonio 3010 Aniol Street • San Antonio, TX 78219 Ph: (800) 638-6628 • Fax: (210) 222-1034
- Golden West Laredo

 107 Wilcox Laredo, TX 78046
 Ph: (800) 638-6628 Fax: (210) 222-1034

4 Golden West Castroville

515 US-90 E Suite B • Castroville, TX 78009 Ph: (830) 931-2135

- Golden West Devine
 502 S. Commercial Dr. Devine, TX 78016
 Ph: (830) 665-4481
- Golden West Jourdanton
 1202 Crouch Ave.

 Jourdanton, TX 78026
 Ph: (830) 769-3351
- Kapalua Corpus Christi
 4780 Westway Dr. Corpus Christi, TX 78408
 Ph: (361) 360-7896 Fax: (361) 360-7899

2 Kapalua Harlingen

4901 Logans Run • Harlingen, TX 78550 Ph: (956) 381-0976 • Fax: (956) 383-1744



Included in this catalog:

About Texas Enterprises, Inc	Page 2
Mobil [™] Product Integrity Statement	Page 3
Texas Enterprises Company Locations	Page 4
Texas Enterprises Company Personnel	Pages 6-12
Kapalua Marine, Fuels & Lubes	Page 13
Hotsy Carlson	Pages 14-15
Signature Lubricants	Pages 16-17
Golden West DEF (Diesel Exhaust Fluid)	Page 18
Mighty Inventory Management	Page 19
Mighty Filters & Chemicals	Pages 20-21
MobilServ [™] & Mobil [™] Products	Pages 22-25
Triple S Fuels	Page 26
Signature Chemicals	Page 27
TruFuel	Page 28
Royal Purple	Page 29
Mobil DTE [™]	Pages 30
AeroShell	Page 31
RainX Latitude Wiper Blades	Page 32
Peak Windshield Wash	Page 33
Hotsy Carlson Products	Pages 34-35
Mighty Auto Parts	Pages 36-38
Janitorial Supplies	Pages 39-42
Car Wash Equipment & Supplies	Pages 43-45
Golden West Lubricant Products	Pages 46-57

Samson Products	Page 58
Phillips 66® X/C Aviation Oil	Page 59
Mobil SHC [™] Page	s 60-61
Baldwin Heavy-Duty Filters	Page 62
WypAll Wipers	Page 63
Mobil Delvac [™] Page	s 64-67
Mobil [™] GreaseF	Page 68
Our Standard Premium Tank Package	Page 69
Peak Antifreeze	Page 70
Mobil Diesel Efficient [™] F	Page 71



Corporate



Ford Smith President & Owner



Ed Looney Executive Vice President



Cody Douglas VP of Credit & Treasury



Mia Schauer VP of Human Resources



Brett Odom VP of Technology



Jay Tinsley VP of Operations



John Hester Controller



Bill Netherton Director of Resale Fuels



Stephanie Nicholson Marketing Manager



Michael Zananiri Director of Safety















TEXAS ENTERPRISES, INC.



Since 1946

Allied Sales Company opened in the 1940s, offering lubricants and related products to car dealerships, retailers, and more — since then, it has grown into a vital supply hub to the central Texas market. The Austin-based division supports customers with the highest levels of service. The division also operates DC #2 in Temple, Texas, expanding our reach and providing convenience to the entire mid-state area. Both the Austin and Temple locations serve as delivery hubs to suit the vital business needs of our clients while also acting as retail sites for walk-in customers.



Ray Janss General Manager Allied Sales



William Ford Smith Sales Manager Allied Sales



Ryan Tutt Director of Operations Allied Sales Austin



Tory Gall Territory Manager Allied Sales Austin



Ashton Kanak Territory Manager Allied Sales Austin



Jake Moyers Territory Manager Allied Sales Austin





Imeldo Solache Territory Manager Allied Sales Austin



Ben Williams Territory Manager Allied Sales Austin



Stephen Borden Territory Manager Allied Sales Temple

UNITED

Page 7







Jim Neal Territory Manager Allied Sales 2 Temple

TRIPLE S FUELS





TEXAS ENTERPRISES, INC.



Texas Enterprises acquired Hotsy Carlson Equipment in 2022, further growing the business to expand into the Industrial Cleaning Solutions market. Operating in Austin, Bryan, and Killeen, Hotsy Carlson Equipment delivers World Class Service, Equipment and Supplies for their customers. With excellence and customer satisfaction as the standards since 1974, Hotsy Carlson's customers have enjoyed the best equipment and service that money can buy.



Garrett Flietas Branch Manager (Bryan) Hotsy Carlson



Alicia Schultz **Operations Manager** Hotsy Carlson



Michelle Loftus Sales Representative Hotsy Carlson Central Texas



Matt Thompson Lead Technician, CMT Hotsy Carlson



LB Schultz Inside Sales Hotsy Carlson Austin



Zachary Gordon Sales Representative Hotsy Carlson 2 Bryan



Zach Parker Sales Representative Hotsy Carlson 2 Bryan



Daniel Emblen Branch Manager (Killeen) Hotsy Carlson 3 Killeen



Bill Rosen Sales Representative Hotsy Carlson **3** Killeen













TEXAS ENTERPRISES, INC.



Golden West Oil Company opened in the 1960s serving south and south-central Texas with lubricants and related products. Golden West operations have run uninterrupted for decades providing value and service to customers throughout the region. Locations include San Antonio, Laredo, and New Braunfels. At Golden West, customers will find access to petroleum products and complete supporting services that exceed what the competition offers.



Rick Taylor General Manager Golden West Oil



Steve Lucero, CLS Sales Manager Golden West Oil



Chad Raemsch Territory Manager Golden West Oil New Braunfels



Josh Schoenfeldt Territory Manager Golden West Oil New Braunfels



Josh Gregory Territory Manager Golden West Oil 2 San Antonio



Ken Schoenfeldt Territory Manager Golden West Oil San Antonio



Justin Smith Territory Manager Golden West Oil 2 San Antonio



Joe Torres Territory Manager Golden West Oil 2 San Antonio



Reyes Valdez Territory Manager Golden West Oil 2 San Antonio



Ruben Valdez Territory Manager Golden West Oil Laredo



Golden West Oil Territory Manager Castroville







Page 9







TRIPLE S FUELS



United Oil & Grease became a division of Texas Enterprises in the 1990s with locations in Abilene, Snyder, and Lubbock, Texas. UO&G distributes in markets throughout West Texas and Eastern New Mexico, combining a professional yet easy-going staff with a level of service that serves even the most demanding customer expectations.



Brandon Hughes General Manager United Oil & Grease



Jason Slayton Sales Manager United Oil & Grease



Brock Isbell Director of Operations United Oil & Grease



Matt Cumby Territory Manager United Oil & Grease 1 Abilene



Jason Little Territory Manager United Oil & Grease Abilene



Mark Shannon, CLS Territory Manager United Oil & Grease Abilene



Stefani West Inside Sales United Oil & Grease 1 Abilene



Eddie White Territory Manager United Oil & Grease 1 Abilene



Jonathan Baker Territory Manager United Oil & Grease 3 Lubbock



Josh Baker, CLS Territory Manager United Oil & Grease 3 Lubbock



Ernie Cook Territory Manager United Oil & Grease 3 Lubbock



3 Lubbock

TRIPLE S FUELS













TEXAS E<u>NTERPRISES</u>, INC.



Based in Euless and serving the Metroplex area for many years, the Mighty of DFW branch is committed to providing the parts and supplies needed to keep business running smoothly. This team of professionals knows the competitive nature of the your business. They will meet your needs quickly with the highest quality products at prices that will keep your business profitable.



Brandon Hughes General Manager Mighty of DFW



Jason Slayton Sales Manager Mighty of DFW



Jason Reiser Merchandising Specialist Mighty of DFW Dallas/Forth Worth



Andrew Jacobs Territory Manager Mighty of DFW Dallas/Forth Worth



Cory Holton Territory Manager Mighty of DFW Dallas/Forth Worth



Joey Oggier Territory Manager Mighty of DFW Dallas/Forth Worth



Paul Whisman Territory Manager Mighty of DFW Dallas/Forth Worth















Texas Enterprises acquired Kapalua Marine, Fuels, & Lubes in 2017, allowing our growing business to significantly expand services to the marine lubricants and related products market. Operating distribution centers in Corpus Christi and Harlingen, the division also provides both inland and marine fueling operations. Kapalua delivers superior service to every customer at the speed of business.



Joe Rutter General Manager Kapalua



Jayson Sanchez Business Development Kapalua



Jeff Knobeloch Territory Manager Kapalua Ocrpus Christi



Lexi McMurtry Territory Manager Kapalua Corpus Christi



Mark Conner, CLS Territory Manager Kapalua Harlingen



Jason Martinez Territory Manager Kapalua Harlingen















EXPERIENCE THE BUTTERFLY EFFECT: TRANSFORMING TODAY'S IDEAS INTO TOMORROW'S SOLUTIONS



Delivery Method:



New Product Available: Fuel: LSMG0 Max 0.1%

IMO2020 Compliant Marine Bunkers

Ports Serviced:

- Corpus Christi
- Ingleside
- Brownsville
- Rockport
- Point Comfort

Kapalua Marine Fuel is a physical supplier of marine fuels, lubricants, and related products servicing the Texas Gulf Coast maritime community. Kapalua's experienced team simplifies the bunkering process through real-time insights and intricate knowledge of the South Texas region. With over 15 years of combined industry knowledge, Kapalua offers competitive pricing and favorable payment terms. Kapalua operates a modern fleet of U.S. Coast guard approved tank trucks servicing the Texas Gulf Coast. With our own warehouse, Kapalua provides marine bunkering and lubricants to commercial and military vessels throughout the Texas Gulf Coast, providing our customers with the same service and quality no matter which port they call.



4780 Westway Drive | Corpus Christi, TX 78408 | Ph: (361) 360-7896 | Fax: (361) 360-7899



The Latest Addition to the TEI Family of Companies

In January of 2022, Texas Enterprises acquired Hotsy Carlson Equipment, the premier provider of everything you need for commercial and industrial cleaning.

For nearly 50 years, Hotsy Carlson Equipment has provided industrial cleaning equipment, detergents, rentals, service, parts, and repair to south and central Texas. As a Hotsy[®] All Star Service Center, we specialize in commercial pressure washers, yet our team is expertly trained on all brands and types of cleaning equipment.



- Hotsy Commercial Pressure Washers and Steam Cleaners
- All Related Cleaning Equipment and Supplies
- Victory Sprayers Master Dealer
- Vital Oxide Disinfectant & Other Detergents
- Optima Steam Cleaners
- Delivering Equipment, Detergents, Rentals, Service, Parts, and Repair to South & Central Texas

We also sell and service mounted equipment for trucks, trailers, and pickups, including water reclamation systems designed to wash grimy bays, keep a fleet of construction vehicles clean, or scrub an industrial facility to provide efficiency and safety for all. Whatever the job, Hotsy Carlson has the right tool and the expertise to keep it working — so you can keep doing business.

Hotsy manufactures more than 100 different models of hot water and cold water pressure washers, with myriad customization options to meet your specific need. As a Hotsy dealer, we can bring on-site equipment service to you. And we maintain an extensive parts inventory to keep your critical equipment running, not waiting for parts.

We offer the industry's best warranty, with seven years of protection on the pump and five years on the coil. But you likely won't need it. Hotsy equipment is rugged, durable, and engineered with superior design, quality, and craftsmanship. Your Hotsy machines will work for you day after day and for years to come.

Our equipment is used by construction crews, TXDOT, EMS fleets, local schools, the food service industry and more. As an industry leader, we have the cleaning supplies and equipment you need, and now as part of the TEI family, we have a much more extensive catalog of products and services to help your business thrive.

Schedule an appointment for repair on your job site or visit our showrooms for demos, rentals, and training. Call the branch closest to you in Austin, Bryan, Killeen, or Corpus Christi, or see us online at www.hotsycarlson.com for more information. We are excited to earn your business and grateful for the opportunity.



TEXAS ENTERPRISES, INC.

TEXAS ENTERPRISES, INC.



EVERYTHING YOU NEED - AVAILABLE FOR SALE OR RENT



Pressure Washers

Hotsy is the No. 1 brand of pressure washers, offering both hot-water and cold-water pressure washers as either portable or stationary units. With a selection of equipment that runs on electricity, gasoline, diesel, or even natural gas LP, Hotsy Carlson has more than 120 different models to choose from to meet your most challenging cleaning needs.





Detergents Are Vital

Detergent are essential for proper cleaning. Texas Enterprises offers specially formulated detergent solutions to provide extra cleaning power when blasting away dirt, grime, grease, salt, and more from a variety of surfaces. No matter what you clean, you can clean it better and faster with the right detergent.

Your TEI Sales Rep Now Offers the Advantage of Hotsy Cleaning Products



Call your TEI sales rep today, or your local service center:





Steam Cleaners

Steam delivers a low-water, high-temperature way to break up soil, grease, and grime. Plus, steam can naturally sanitize while eliminating the need for large water tanks or wastewater collection. Learn how Optima Steamers can help.



Every Accessory You'll Need

With a full range accessories, Texas Enterprises offers solutions to make any cleaning job easy and efficient.

More Than Equipment & Detergent

Texas Enterprises offers more than the equipment and detergent you need for the cleaning problems you face. Our decades of experience, mean the professional advice you need to make the right choices for your business — and your budget.

Corpus Christi, TX

361.360.7896



Visit Our Website to Learn More

NEW FROM SIGNATURE LUBRICANTS



INTRODUCING the Signature Rack Stand

Designed to make your shop more efficient and ultimately more successful, the new Signature Rack Stand provides your customers a wider variety of products and grades to meet their needs. Our rack stand allows convenient access to your favorite Signature products, so you can maintain a cleaner shop and create a strong brand awareness with your customers.



- Fits in tight areas while allowing easy access
- Eliminates the hassles of using quart bottles
- Provides maximum storage efficiency
- Keeps your products organized
- Provides great visibility leading to more sales
- Installs easily and quickly
- Reduces product damage
- Elevates the Signature brand
- Environmentally friendly





©Copyright 2015, Texas Enterprises, Inc., Austin, Texas. All rights reserved.



Signature

Offering a complete line of lubricant products with the quality you need and the value you expect.

Golden West presents the Signature line of quality lubricant products designed to meet or exceed the requirements of most gasoline and diesel engines, and automatic transmissions. Our premium lubricants provide today's vehicles with the maximum protection at a great value—standards you've come to expect with all Golden West products.



©Copyright 2018, Texas Enterprises, Inc., Austin, Texas. All rights reserved.



The convenient 2.5 gallon box features an The 4162 hand-operated manual pumping easy-to-carry handle and an included system offers an inexpensive method of pouring nozzle. delivering DEF. Works with 55 gallon drums. Works with 55 gallon drums • 2.5 Gallon Container 4162 Hand Pump

700 Gallon Vertical Tank

This convenient 55 gallon drum cart allows for easy portability. Can be used with a hand-operated pump or with an electronic volume metering pump.

- Heavy-duty four wheel dolly •
- Optional electronic pump and meter



55 Gallon Drum Cart

The Tote system includes an electronic pump, a stainless steel mounting bracket with nozzle holder, electronic meter that measures in gallons, and an automatic stainless steel nozzle with a 20' delivery hose and one 4' suction hose.

- Large volume tote with electric pump
- Electronic meter measures in gallons •



Tote with Electric Pump



How Do You Make More Money with Mighty?

"TRIM" Your Inventory!



Targeted Registration-Based Inventory Management (TRIM)

Mighty offers an exciting electronic application for customers called TRIM, which stands for Targeted Registration-Based Inventory Management.

This online tool maps vehicle registration data to Mighty's catalog application and parts database. TRIM reports include:

- Stocking guides for Mighty brakes (rotors, drums, shoes, pads) and filters (air, oil, cabin, fuel)
- Vehicle counts by year, make and model
- Average vehicle ages
- Maps by vehicle age and population

The data can be filtered by counties, cities and/or zip codes. This functionality enables our customers to better forecast and 'TRIM' stocking levels for their back rooms.











OIL & AIR

FILTERS

MightyMAX filters are specifically built for extended Oil Drain Intervals and pair perfectly with full synthetic oils that many OEM manufacturers are requiring.

WE'RE #1

because our customers are our #1 priority in everything we do.

Might

POWERING YOUR PERFORMANCE

Mighty

OE Quality Parts



- **Personal Service**
- Training & Support



Learn more at www.MightyAutoParts.com Page 20

Minhfu



We have YOU Covered

POWERING YOUR PERFORMANCE



OE Quality Parts Chemicals & Lubricants Personal Service Training & Support

WE'RE #1

because our customers are our #1 priority in everything we do.



Learn more at www.MightyAutoParts.com Page 21

Ask how we can drive efficiency at your job site

Performance by **EXonMobil**

Chosen by many of the world's leading heavy-duty equipment manufacturers

Make real-time efficiency decisions via an easy-to-use portal

Get precise analysis and detailed, actionable recommendations through an intuitive interface for easy account management and fast results accessible on your computer or mobile device.

- Enhance equipment reliability to increase productivity
- Reduce maintenance costs and unscheduled downtime
- Improve equipment durability
- Lessen lubricant consumption

Engine oils that support business growth

For more than 90 years, Mobil Delvac[™] has been a trusted lubrication collaborator for many of the world's most successful fleets, providing:



Dependability that comes with extreme-temperature performance and outstanding engine protection



Efficiency and cost savings from improved fuel economy potential* and extended oil drain interval capability $^{\rm t}$

Mobil Delvac™ engine oils	Enhanced engine protection	Emission system protection	Long oil drain interval capability ⁺	Fuel economy potential	Low- temperature performance
Mobil Delvac 1™ Advanced Fuel Economy 5W-30	* * *	***	* * *	* * *	**
Mobil Delvac 1™ ESP 0W-40	* * *	***	* * *	*	* * *
Mobil Delvac 1™ ESP 5W-30	***	***	***	**	**
Mobil Delvac 1™ ESP 5W-40	***	***	***	*	**
Mobil Delvac™ Extreme FE 10W-30	**	**	***	**	**
Mobil Delvac™ Extreme 10W-30	**	**	***	*	**
Mobil Delvac™ Extreme 15W-40	**	**	***		*
Mobil Delvac™ Super FE 10W-30	**	**	**	**	**
Mobil Delvac™ 1300 Super 10W-30	**	**	**	*	**
Mobil Delvac™ 1300 Super 15W-40	**	**	**		*

The number of stars indicates relative performance levels within the Mobil Delvac™ product range.

*Compared to an SAE 15W-40 engine oil. Actual savings are dependent on vehicle/engine type, outside temperature, driving conditions and your current engine oil viscosity. *Results may vary based on vehicle/engine condition, driving and environmental conditions. Consult OEM or ExxonMobil before implementing extended ODIs.

Heavy-duty technology for all of your heavy-duty equipment

Excavators? Loaders? Haul trucks? We've got you covered.



Differential/Final drive Mobil Delvac 1^{°°} Gear Oil Mobiltrans^{°°} HD Series Mobilube^{°°} HD Plus

Grease

zuga.

Mobil Centaur[®] XHP Mine Series Mobil Centaur[®] Moly Mobilgrease XHP[®] Mine Series

Mobil Serv[®]

Boosting uptime

Reducing maintenance



Mobil Delvac 1" ESP 0W-40, 5W-30, 5W-40 (CK-4) Mobil Delvac 1^m Advanced Fuel Economy 5W-30 (FA-4)

Advanced full synthetic oils that demonstrate:

- Extended oil drain interval (ODI) potential up to 3X the average OEM ODI recommendation*
- Long engine life and reliable operation in a wide range of applications
- Emission system protection



Mobil Delvac[™] Extreme 10W-30, 15W-40 (CK-4) Mobil Delvac[™] Extreme FE 10W-30 (FA-4)

Synthetic oils that deliver:

- Extended ODI potential up to 2X the average OEM ODI recommendation*
- Up to 46% more antioxidant and 44% more anti-wear additive than Mobil Delvac™ 1300 Super
- Exceptional oxidation stability[†]



Mobil Delvac[®] 1300 Super 10W-30, 15W-40 (CK-4) Mobil Delvac[™] Super FE 10W-30 (FA-4)

Synthetic blend oils that provide:

- Extended ODI potential up to 1.5X the average OEM ODI recommendation*
- Stay-in-grade shear stability and excellent low-temperature pumpability
- Excellent soot and viscosity control

Mobiltrans[™] AST Series

- All-season lubrication for all drivetrain components
- Helps deliver extended drain and service intervals
- Formulated for long clutch and wet brake life; meets Cat TO-4M specification



Mobil^{TT} DTE 10 Excel Series

- Outstanding wear protection and system cleanliness
- Excellent oxidation and thermal stability
- Energy efficiency potential to reduce fuel expenses















- Viscosity grades for hydraulic, transmission and drivetrain applications
- Formulated for long clutch and wet brake life; meets Cat TO-4 specification
- Excellent gear and bearing protection

Mobil[™] Hydraulic 10W

- Excellent performance in a wide range of hydraulic systems
- Protection against oil thickening, high-temperature deposits, varnish and oil degradation
- Good performance at higher temperatures and extended operating intervals

Mobil Centaur[™] XHP Mine Series

- Excellent extreme-pressure protection and load-carrying ability for equipment protection under heavy and shock loading
- Excellent high-temperature oil bleed control
- Advanced polymer additive package resists water washout

Mobil Centaur[™] Moly Grease

- Excellent extreme-pressure protection and load-carrying ability
- Enables extreme-pressure performance retention and protection in severe sliding situations
- Provides exceptional water resistance and corrosion protection

Mobilfluid[™] 424

- Exceptional performance in powertrain transmissions, drive axles, clutches, power take-offs (PTOs) and hydraulic systems
- Enhanced frictional properties help reduce chatter in wet brake and PTO service
- Multipurpose capability provides opportunity for lubricant consolidation

"Average OEM ODI recommendation based on recommended oil drain intervals from major U.S. engine manufacturers using API CJ-4 oils for a variety of service severity levels and engine models. Average OEM ODI API CJ-4 recommendation to substantiate multiplier claims is 31,750 miles. Results may vary based or vehicle-recommendation driving and environmental conditions of 17.50 miles. Results way vary based on vehicle-forgine condition, driving and environmental conditions. Consult OEM or ExxonMobil before implementing extended ODIs, especially if the equipment/vehicle is under the OEM's warranty. 'Based on an analysis of Volvo T-13 engine test results.





TRIPLE S FUELS



The Highest Fuel Standards

We Care. You Matter. We Deliver!



Bill Netherton Director of Retail & Wholesale Fuels



Matt Hasley Territory Manager (San Antonio)



Crystina Robledo Territory Manager (Austin)

Triple S Fuels distributes branded and non-branded


About Triple S Fuels

Those we Serve with The Highest Fuel Standards

Triple S Fuels serves many area companies by distributing branded & non-branded gasoline, plus on-road and off-road diesel fuel. We pride ourselves on unparalleled services to the following industries:

- Construction
- Concrete & Asphalt
- · School Districts
- · Quarries
- Equipment Rental Businesses
- Government Agencies
- C-Stores

- Marinas
- Farming
- Trucking
- · Generators
- Disposal
- and Many More





For any of your fuel needs, call toll free: 800-284-2432



GOL 46077300001

Signature Chemicals. All Powerful. All the Time.

Golden West Signature Chemicals offers a full line of powerful aerosol products to meet all your lubrication and cleaning needs. Developed with the most demanding jobs in mind, Signature Chemicals will get the work done fast and to the highest standards. Add the power of these products to your workflow and the value will convince you.






THE ORIGINAL ENGINEERED FUEL



EMPOWER § EQUIPMENT





Royal Purple's unique blend of additives, such as our proprietary Synerlec® technology, enable Royal Purple products to outperform leading synthetic and conventional lubricants.




www.royalpurple.com

🕇 /royalpurplefans 🐸@royal_purple 🧕 royal_purple 🐇 royalpurple



Introducing the next generation in energy-efficient productivity.





Get more from your hydraulic machinery than ever before with new Mobil DTE 10 Excel Series. Engineered to better address the lubrication demands of a new generation of high-pressure industrial and mobile equipment, Mobil DTE 10 Excel Series helps lift cleanliness and efficiency to new heights — as it helps lower operating costs. Which adds up to increased productivity.

Surpassing even the standard-setting Mobil DTE 20, Mobil DTE 10M, and Mobil DTE Excel hydraulic oils, known for their long life and keep-clean performance, new Mobil DTE 10 Excel Series is truly the new standard in hydraulic oils. These state-of-the-art, patent-pending lubricants represent the latest in hydraulic fluid technology and can offer great advantages:

- Dramatically increased hydraulic efficiency, up to 6 percent better than standard products Helping reduce energy and fuel consumption, and increase machine productivity.*
- Visibly better system cleanliness For longer productive operation and decreased machine maintenance.
- Outstanding durability For longer oil drain intervals and increased equipment protection.

So whether you manufacture plastics components or operate hydraulic-powered excavators or marine equipment, help reduce your power consumption and increase your machine output with Mobil DTE 10 Excel Series — a breakthrough that won't just make your machines run but will help them fly. On less energy, we might add.


* Results are based on a controlled laboratory test and may vary depending on operating conditions.





Love flying

Love AeroShell





Developed for Extended Durability and Long-Lasting Performance.

Rain-X[®] Longitude[™] is engineered to perform in inclement weather conditions and withstand the elements, such as UV and ozone exposure, that cause rubber deterioration.

ANATOMY OF THE RAIN-X[®] LONGITUDE[®]

Symmetrical Spoiler 3D Air Control System Minimizes Wind Lift For Optimal Wipe Performance

Metallic Spline Curvature Optimized – To Fit And Conform to Windshield

Aerodynamic Spoiler

3 Points To Control The Air Flow

- 1. Air Guidance
- 2. Creation of downforce
- 3. Evacuation of air flow

Engineered with UV & Ozone Damage-Resistant Rubber With Friction Reduction Coating For All-Weather Performance 3 2 (1)

Manufactured with Industrial-Grade T24.7™ Rubber

Uniclick[™] Adapter System Easy-To-Install Adapter System With Interchangeable Adapters For

Maximum Coverage

Tough Aerodynamic End Clips Impact And Slam Resistant with Chamfered Edges

ALL-WEATHER PERFORMANCE



UNICLICK™ ADAPTER SYSTEM



SUMMER

9x3 Hook 9x4 Hook 3/16" Pir



RAIN-X[®] IS A REGISTERED TRADEMARK OF ILLINOIS TOOL WORKS, INC. ALL RIGHTS RESERVED

Ο

www.rainxlongitude.com

V

PEAK Windshield Wash keeps your windshield clean and clear and it meets a wide range of temperature needs. The conventional blue formulation powers through windshield dirt and grime, leaving behind a streak-free shine. It is safe to use in any vehicle and to use full strength with no mixing required.

- Available in O^o F and 2O^o F to meet your temperature needs
- Powers through windshield dirt and grime
- Safe to use in any vehicle
- Use full strength no mixing required









One Part, Stable, Chlorine Dioxide Disinfectant Sanitizer

VitalOxide is an EPA registered disinfectant cleaner, mold killer and super effective odor eliminator. Ready to use with no mixing required, just spray, wipe or fog right from the bottle. Non-irritating to the skin and non-corrosive to treated articles.

VitalOxide - One Product, So Many Solutions



Eliminates SARS-CoV (COVID-19)

Listed on US EPA List N: Disinfectants for use against SARS-Cov-2, the cause of COVID-19



Food Contact Sanitizer - NSF Registered (D2) Sanitizer

VitalOxide kills 99.999% of bacteria, including eColi, Salmonella and Listeria in less than 60 seconds, and it's odorless, requires no rinse and doesn't alter the taste of food that has been prepared on sanitized surfaces. (D2)



EPA Registered Disinfectant

Contains no volatile organic compounds (VOCs) and kills a wide range of viruses such as Noro Virus, Feline and Canine coronavirus and bacteria. It doesn't contribute to mutating super bugs.

Mold and Mildew Inhibitor

Inhibits and keeps mold and mildew from growing for up to 4 weeks.

Allergen Eliminator

Proven effective on pet dander, as well as, dust mite and cockroach allergens. Safe to use on pet bedding and sleeping areas.



Odor Eliminator

Eliminates malodors due to smoke, trash, septic systems, stale cooking and more, without using masking agents or fragrances. Neutralizes urine and fecal odors.

HVAC and Air Ducts

Leaves HVAC systems and air ducts free of microbial contamination from bacteria, mold, mildew and other fungi, while ensuring air quality.

Soft Surface Sanitizer

Kills odors and odor causing bacteria on soft surfaces by eliminating the source. Great for upholstery, curtains and auto interiors.

Hosty Carlson Equipment Austin (512) 442-2267 Bryan (979) 778-2747 Killeen (254) 200-1660 Corpus Christi (361) 360-7896

www.hotsycarlson.com

Scan this code for Safety Data Sheet



Available in 4x1-gal., 6x1-qt., 15-gallon or 55-gallon

FOR USE

AGAINST SARS-COV-2

(COVID-19)

Buy Bulk For Cost Savings

Ask your Hotsy Distributor how you can arrange to have VitalOxide supplied on a regular monthly schedule. We deliver...it's convenient, dependable and efficient.

SAVE TIME, by having a regular monthly service call!

SAVE MONEY with our low bulk rates!

SAVE the INCONVENIENCE of disposing of empty 55-gallon drums.

THE PRESSURE WUSCELLAMING SYSTEMS COMMITMENT TO EXCELLENCE COMMITMENT TO EXCELLENCE COMMITMENT TO EXCELLENCE

You won't find Hotsy at your local home improvement store. Why? Because Hotsy products are ONLY sold through authorized dealers. The equipment you find at Lowe's' or Home Depot' simply does not compare. When you go with a Hotsy, you're starting a relationship with a partner who "gets" you.

Need Proof? Here are 10 reasons why you should connect with your local dealer:

- Cleaning equipment experts
 Advice in choosing the right products for your needs
 We service what we sell
 - Service from factory trained technicians
- On-site operating and safety demonstrations
- Equipment is tested, delivered and installed
- Excellent warranties
- Genuine Hotsy replacement parts
- Recommended timesaving accessories
- Detergents targeted for your application

Lowe's' is a registered trademark of LF, LLC. The Home Depot' is a registered trademark of Homer TLC, Inc.

Hotsy Carlson Equipment Austin (512) 442-2267 Bryan (979) 778-2747 Killeen (254) 200-1660 Corpus Christi (361) 360-7896

www.hotsycarlson.com



holsy

FIND YOUR LOCAL HOTSY DEALER AT HOTSY.COM or call 800.525.1976





San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040

 South Texas Gulf Coast: 361-887-9898

 3040
 DFW: 817-590-9770



Call the Warehouse Nearest You—If you don't see the product you need —just ask us! We can help. Page 36










Austin & Central Texas: 800-545-4412 Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 DFW: 817-590-9770









TPMS Transmitters





Wiper Blades

Superior aerodynamic design and an exceptional fit to the curvature of any windshield.

Available in beam and original styles.





San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040

 South Texas Gulf Coast: 361-887-9898

 3040
 DFW: 817-590-9770

Janitorial Supplies

Signature Nitrile Gloves Microbe Free Solutions Hand Sanitizer Signature • Hydrating Hand Sanitizer • Powder-Free Infused with Aloe Non-Sterile • Non-flammable, non-staining 5 Mil Thickness • Last 6 Hours, or Single Use Only • 10 hand washings • Medium, Large & UP TO & HOURS OF Odorless, Alcohol Free microbe free Extra Large **100 Gloves per box** Packaging Part Number AH'S MUSH **10 Boxes per case** 1.7 Ounce Foaming Dispenser C5700.1.7 C5700.05 5 Ounce Foaming Dispenser 1 Gallon Plastic Jug C5700.1 C5700.55 55 Gallon Barrel TM

Color: Black

Mighty

19189

Vital Oxide RTU Profess	ional Grade Disinfectant		
 99.999% Eff Kills many pathogens No Rinse required, sa and food contact surf Mold and Mildew trea 7 Month residual Effe 	at a 99.9999% rate fe for pets, children, aces ted with ct.		
Packaging Quart Sprayer Bottle	Part Number 86395600		
Gallon	86395580	28.	99 999% SANTZATION
2.5 Gallon Bag in Box dispenser	C5600.2.5		IF FOOD CONTACT SIMPLAND
55 Gallon Barrel	86981120		HOSPITAL DISINFECTANT
	Carrow Hand		<section-header></section-header>





Janitorial Supplies

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040







KITCHEN & FLOOR Janitorial Supplies

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040







KITCHEN & FLOOR Janitorial Supplies

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040







Austin & Central Texas: 800-545-4412 Abilene and Surrounding Area: 800-375-3040

Car Wash Supplies & Equipment

South Texas Gulf Coast: 361-887-9898 DFW: 817-590-9770

Vinyl & Rubber Shines & Protectants

Protects from the harsh elements and provides a like-new appearance to a variety of surfaces.



All-purpose Cleaners

Heavy-duty cleaners for every tough job.



Car Wash Soaps

Highly concentrated, neutral detergent designed for all self service foam generating systems.



Heavy-duty Degreasers







Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898

Car Wash Supplies & Equipment

DFW: 817-590-9770







Car Wash Supplies & Equipment

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040





From Filling Stations to Filling the Need for Great Products at Competitive Pricing

The Golden West Brand of products originated as a regional brand in central and south Texas in 1929. Based in San Antonio, Texas, Golden West Oil Company operated a chain of "filling stations" that flew the Golden West flag with street signs displaying the brilliant sun with golden rays against a blue background.

The Ford Smith family of Austin, Texas purchased the lubricant and parts business of Bantham Distributing in 1960, then in 1974 merged with Golden West Oil Company, steadily developing the brand deeper into the Texas market. Golden West was consistently positioned as a quality fighting grade line.

In the 1970s, the Golden West Brand was expanded to include a complete line of lubricant products. As a strongly established regional brand, Golden West is well accepted in automotive, industrial, and agricultural markets.

Today our engine oils proudly display the API and ILSAC seals of approval. The line now includes synthetics, greases, and aerosol chemicals. All these are still offered today as a fighting grade alternative to major brand products.

Signature BY DEPARTMENTS

Product Warranty

Golden West Products Limited Warranty

Golden West Products warrants its products to be free from defects and will replace any product that is defective. For all applications, follow the recommended maintenance and fluid change schedules provided by the manufacturer(s). Golden West Products warrants that all products will perform to their specifications when used in accordance with the proper instructions for use. Products used in applications other than the intended use will not be covered by this warranty.

Golden West Products provides this limited warranty to purchasers who use Golden West products.

If there is equipment failure related to the Golden West product you purchased, Golden West will repair any equipment damage directly caused by a defect or a malfunction of a Golden West product, provided that the product was selected and maintained in accordance with specifications of the original equipment manufacturer or the written instructions (which includes product packaging) of Golden West Products.

To file a claim under this Limited Warranty, you must:

- Upon discovery of the damage (but not later than 6 months from the date the damage occurred) call your local Golden West distributor from whom you purchased the product.
- Allow a Golden West representative to examine the equipment and maintenance records and provide proof of purchase to determine the extent of the damage and to confirm that a Golden West product was the cause.
- Allow a Golden West representative to obtain a sample of the product in question for analysis at no cost to you to assist in determining the cause of the equipment failure.

This Limited Warranty excludes:

- Golden West products used in mechanically deficient equipment as a result of abnormal operation, negligence, abuse, damage from casualty, shipment or accident, or equipment modification done without written authorization from the Original Equipment Manufacturer (OEM).
- Situations where the OEM required standards do not match those stated by Golden West without written approval from Golden West.
- Golden West products that have been used in conjunction with any other product or additive without written approval from Golden West.
- Failure of equipment due to a pre-existing condition that is unrelated to the use of Golden West products.
- Repair or replacement of equipment due to normal wear.

The remedy provided here will be your only recovery against Golden West Products. You will not be able to recover incidental or consequential damages. Some states do not allow the exclusion of or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may have other rights which vary from state to state.







Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898

DFW: 817-590-9770

Premium Universal Tractor Fluid

Multifunctional Use in Farm Tractors and Equipment

Benefits

- Lowers operating costs
- Reduces brake chatter and transmission slips
- · Minimizes weather and storage concerns
- Extends equipment life

Product Application:

Golden West Premium Universal Tractor Fluid is a high quality, multifunctional tractor hydraulic fluid, specially formulated for use in transmissions, final drives, wet brakes, and hydraulic systems of tractors and other equipment employing a common fluid reservoir.

It is formulated with highly refined base stocks, a viscosity index improver, oxidation and corrosion inhibitors, antiwear and film strength additives, an antifoaming agent, and a pour point depressant.

Ask about pallet

pricing & special

promotions

Golden West Premium Universal Tractor Fluid is recommended for use as a multifunctional fluid in many types of farm tractors and equipment; in non-hypoid GL-4 applications; in applications which call for the following OEM lubricant specifications:

- AGCO: improved power fluid 821XL
- Case Corporation: JIC-143, JIC-145, MS 1206, MS 1207, MS 1209, MS 1210 (TCH)
- Case New Holland: MAT 3525, MAT 3505
- Caterpillar: TO-2
- Ford New Holland: ESN-M2C134-D, FNHA 2, C 201
- International Harvester: B6
- John Deere: J20C
- Kubota: UDT
- Massey Ferguson: M1135, M1141, M1143, M1145
- Minneapolis-Moline: Q-1766, Q-1722, Q-1766B
- Oliver: Q-1705
- Renk Doromat: 874A and 874B
- Volvo: WB 101
- White Farm Equipment: Q-1826
- ZF: TE-ML 03E, TE-ML 05F, TE-ML 17E, TE-ML 21F





Gol 046077666831 2Gal Gol 046077687478 Pa Gol 046077310550 Dr Bul 046077310215



Austin & Central Texas: 800-545-4412 Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 DFW: 817-590-9770

nature BY M

TechSYN Full Synthetic dexos1[™] Gen 3 GF-6A Motor Oils 0W-20 · 5W-30

API SP/SN/SM/SL/SJ • ILSAC GF-6A

Benefits

- Provides protection conventional oils can't
- Superior protection against normal engine wear
- Outstanding low and high-temperature performance
- Our highest level of protection for thermal and oxidation stability
- Formulated for extreme driving conditions
- Outperforms conventional and synthetic blends
- ILSAC GF-6A Resource Conserving



Product Application:

Golden West Signature TechSYN dexos1[™] Gen 2 Motor Oil is a fully synthetic, top-tier, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of today's and tomorrow's engines. It meets API SP, which is required for 2012 and later engines. Synthetic base oils combine with carefully selected additive packages to provide maximum protection against wear, rust, corrosion, oxidative thickening, acid formation, sludge, and varnish. This formulation helps improve fuel economy and performance in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85.

TechSYN Full Synthetic dexos1[™] Gen 2 Motor Oil is a licensed GM dexos1[™] Gen 2 product. Meets or exceeds API Service Category SP, SN Plus, SN, SM, , and ILSAC GF-6A requirements. Meets Tovota and Mazda specifications, and Honda service fill specifications.

Meets or exceeds specification requirements, including:

- GM dexos1[™] Gen 2
 Ford WSS-M2C962-A1 (0W-20) Ford WSS-M2C961-A1 (5W-30)
- GM 6094M
- Chrysler MS-6395
- Toyota
- Mazda •
- Honda (Service fill)





GOL 850011903148 Box GOL 046077311526 Dr BUL 033322000398 5W-30 GOL 850011903155 Box GOL 046077311540 Dr BUL 046077311533



Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 040 DFW: 817-590-9770

TechSYN Full Synthetic 5W-40 Motor Oil Advanced European Car Formula

API SN • ACEA A3/B4

Benefits

- Keeps engines cleaner
- Provides protection conventional oils can't
- · Meets extended drain requirements of premium European vehicles
- Won't break down under extreme temperatures
- · Superior protection against normal engine wear
- · Outperforms conventional motor oil in high-temperature service
- · Provides outstanding thermal and oxidation stability

Product Application:

Golden West Signature TechSYN SAE 5W-40 Full Synthetic Motor Oil is an ultra-premium quality, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of advanced European gasoline-powered cars and light trucks. Meets or exceeds the requirements of API SN and ACEA A3/B4.

Signature Lubricants TechSYN SAE 5W-40 full-synthetic motor oil meets or exceeds performance requirements, including:

- ACEA A3/B3
- ACEA A3/B4
- BMW LL-01
- Mercedes-Benz 226.5
- Mercedes-Benz 229.3
- Mercedes-Benz 229.5
- Porsche A40
- PSA B71 2296
- Renault 0710
- Renault 0700
- Opel GM-LL-B-025
- Volkswagen VW502 00

TechSYN Full Synthetic OW-16 ULV Motor Oil

API SP/SN Plus/SN • ILSAC GF-6B

Benefits

- · Provides protection conventional oils can't
- · Won't break down under extreme temperatures
- · Superior protection against normal engine wear

Product Application:

Signature Lubricants TechSYN 0W-16 is a premium, ultra-low viscosity motor oil. This high-performance formulation helps improve fuel economy in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85. SAE 0W-16 viscosity only belongs in engines designed to use 0W-16 motor oil. Meets the performance requirements of Toyota and Honda. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification * requirements, including:

- Toyota
- Honda



6 Gal Box

GOL 033322000168 Box

6 Gal Box

GOL 033322000410 Box



Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 040 DFW: 817-590-9770

SYN Blend Semi Synthetic Motor Oil 5W-20 • 5W-30 • 10W-30

API SP/SN Plus/SN/SM • ILSAC GF-6A

Benefits

- Provides enhanced piston cleanliness
- · Provides increased emission protection
- · Superior protection against normal engine wear

Product Application:

Golden West Signature SYN Blend Semi-synthetic is a premium, high-detergent motor oil. This formulation helps improve fuel economy and performance in gasoline engines — includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- GM 6094M
- Ford WSS-M2C960-A1 (5W20)
- Ford WSS-M2C961-A1 (5W30)
- FCA/Chrysler MS-6395
- Toyota
- Mazda
- Honda (Service fill)





SYN Blend 5W-20 GOL 033322000380 Box SYN Blend 5W-30 GOL 033322000373 Box SYN Blend 10W-30 GOL 0333220003335 Box

High Mileage Premium GF-6A Motor Oils 5W-20 • 5W-30

API SP/SN Plus/SN/SM • ILSAC GF-6A

Benefits

- · Provides enhanced piston protection
- · Provides increased emission protection
- · Superior protection against normal engine wear
- ILSAC GF-6A Resource Conserving

Product Application:

Golden West Signature High Mileage Premium GF-6A is a premium, high-detergent motor oil. This formulation helps improve fuel economy and performance in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- GM 6094M
- Ford WSS-M2C960-A1 (5W20)
- Ford WSS-M2C961-A1 (5W30)
- FCA/Chrysler MS-6395
- Toyota
- Mazda
- Honda (Service fill)



5W-20 GOL 033322000359 Box 5W-30 GOL 033322000342 Box



Austin & Central Texas: 800-545-4412 Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 DFW: 817-590-9770

TechSYN Full Synthetic 5W-40 Diesel Engine Oil

API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4/SN • ACEA E9/E7

Benefits

- Outstanding low-temperature properties help speed cold starts
- Protects emission control systems
- Outstanding oxidation stability

Product Application:

Golden West Signature 5W-40 full-synthetic is a premium diesel engine oil., designed for the most demanding applications. Follow manufacturer's recommendations for viscosity grade and API service category.



Meets or exceeds specification requirements, including:

- Caterpillar ECF-3
- Caterpillar ECF-2 •
- Cummins CES 20086
- Cummins CES 20081
- Daimler MB 228.31
- Detroit[™] DFS 93K222
- Detroit[™] DFS 93K218
- Ford WSS-M2C171-F1
- Mack EOS-4.5
- EO-N, EO-O Premium Plus
- MAN M3575
- MTU Category 2.1
- Renault RLD-4. RLD-3
- Volvo VDS-4.5, VDS-4, VDS-3

SYN Blend Semi Synthetic 15W-40 Diesel Engine Oil

API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4/SN • ACEA E9/E7

Benefits

- Outstanding low-temperature properties help speed cold starts
- Protects emission control systems
- · Outstanding oxidation stability

Product Application:


Golden West Signature 15W-40 semi-synthetic is a premium diesel engine oil with excellent lubrication properties. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- Caterpillar ECF-3
- Caterpillar ECF-2
- Cummins CES 20086
- Cummins CES 20081
- Daimler MB 228.31
- Detroit[™] DFS 93K222 •
- Detroit[™] DFS 93K218
- Ford WSS-M2C171-F1
- Mack EOS-4.5
- EO-N, EO-O Premium Plus
- MAN M3575
- MTU Category 2.1
- Renault RLD-4, RLD-3
- Volvo VDS-4.5, VDS-4, VDS-3

GOL 046077687522N Csq GOL 033322000328 Box GOL 046077310574 Dr BUL 046077410114

Call the Warehouse Nearest You—If you don't see the product you need —just ask us! We can help.









SERVICE CA

SAE

15W-40

GY CONS



Austin & Central Texas: 800-545-4412 Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 DFW: 817-590-9770

Full Synthetic Multi-Vehicle ATF Automatic Transmission Fluid

For automatic transmissions requiring Mercon®/Mercon® V/Dexron®-III/ATF+3/TF+4

Benefits

- Improved oxidation and thermal stability
- · Full synthetic formula
- Outstanding low-temperature performance
- Superior anti-wear protection
- Improved torque transfer
- Applications include nearly all car and light truck applications

Product Application:

Golden West Signature Full Synthetic Multi-Vehicle ATF represents the latest technology in full synthetic automatic transmission fluids. It is specifically formulated for the newest generation of high-efficiency transmissions and is also a fuel-efficient choice for older models.

Golden West Signature Full Synthetic Multi-Vehicle ATF is recommended for a wide range of passenger cars and light-duty trucks, including GM, Ford, Toyota, Honda/ Acura, Nissan/Infiniti, Hyundai/Kia/Mitsubishi, Mazda, Subaru, and Volkswagen. Check the owner's manual for specific recommendations.

- For automatic transmissions requiring:
- JASO M315-2013 1A-LV GM
- Ford
- Chrysler ٠
- Toyota/Lexus/Scion (T-III, IV, WS) •
- Honda/Acura (ATF Z-1, DW-1)
- Nissan/Infinity (Matic D, J, K, S, W)
- Hyundai/KIA (SP-II, III, IV, Red-1K)
- Isuzu (SCS, ATF II, III)
- Mazda (F-1, FZ, M-III, T-IV, MV)
- Mitsubishi (Diamond SP, II, III, ATF J2, J3)
- Subaru (HP)
- BMW (LA2634, LT71141)
- Mercedes-Benz (236.10, 236.15, 236.3, 236.5, 236.7, 236.9)
- Volkswagen/Audi (09A, 09G)

This product is NOT recommended for Ford Type F, Continuously Variable Transmissions (CVT), or Dual Clutch Transmissions (DCT) which require specialized OEM fluids.



Scan this QR code to download the Golden West Signature TechSYN Full Synthetic Multi-Vehicle ATF Application Guide.









GOL 033322000311 Box



Signature BY COMPANY

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 040 DFW: 817-590-9770

Global Antifreeze and Summer Coolant

Available as Concentrate and 50/50 Blend

Benefits

- Formulated for use in all American, Asian, and European automobiles
- Features a patented non-2-EH formula that is phosphate-free and silicate-free
- Amber color will not change the current antifreeze color when used for topping off
- Meets ASTM D-3306 + ASTM D-4340

Product Application:

Golden West Global Antifreeze and Summer Coolant features a patented advanced organic acid technology. Golden West Global Antifreeze and Summer Coolant contains inhibitors that provide maximum protection from freezing to -84°F and boil-over to +276°F. Its patented formula protects all metals, including aluminum, against damaging rust and corrosion when used as recommended.

Meets or exceeds specification requirements, including:

- ANFOR R 15-601
- BS 6580 (British Standard)
- Chrysler MS7170
- Chrysler MS9769
- Ford ESE-M97B44-A
- Ford WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- G.M. 6277M
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz DBL 7700





ELC Global Antifreeze and Summer Coolant

Extended Life Coolant • Available as Concentrate and 50/50 Blend

Benefits

- Formulated for use in all American, Asian, and European automobiles
- Features a patented non-2-EH formula that is phosphate-free and silicate-free
- Amber color will not change the current antifreeze color when used for topping off
- Meets ASTM D-3306 + ASTM D-4340

Product Application:

Golden West Global ELC Antifreeze and Summer Coolant features a patented advanced organic acid technology. Golden West Global Antifreeze and Summer Coolant contains inhibitors that provide maximum protection from freezing to -84°F and boil-over to +276°F. Its patented formula protects all metals, including aluminum, against damaging rust and corrosion when used as recommended.

Meets or exceeds specification requirements, including:

- ANFOR R 15-601
- BS 6580 (British Standard)
- Chrysler MS7170
- Chrysler MS9769
- Ford ESE-M97B44-A
- Ford WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- G.M. 6277M
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz DBL 7700





Concentrate AFZ 046077111333 Dr 50/50 Blend AFZ 046077111222 Dr



Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 040 DFW: 817-590-9770

DIII/M Automatic Transmission Fluid

Former Dexron III/Mercon H specification

Benefits

- · Excellent low temp. fluidity for good cold-start shifting
- Resists foaming
- Oxidation and thermal stability for long life
- Protection against rust, corrosion, and wear
- · Multiple approvals for lower inventory requirements
- · Compatible with all transmission seal material

Product Application:

Golden West DIII/M Automatic Transmission Fluid is compounded with modern additive technology for use in older Ford and General Motors vehicles, plus many foreign vehicles requiring DEXRON®-III or Mercon.® Recommended for use in all 2005 and earlier GM automatic transmissions. Recommended for 1981 and later Fords (except those requiring Type F, MERCON® V, MERCON® SP, MERCON® LV or MERCON® ULV).

Not for use where DEXRON[®]-VI, DEXRON[®]-HP, Type F, MERCON[®] V, MERCON[®] SP, MERCON[®] LV, or MERCON[®] ULV is required. Not for use in Continuously Variable Transmissions (CVT) or Dual Clutch Transmissions (DCT).

Synthetic Trans-Fluid 50

Full Synthetic Multi-Vehicle

Product Application:

Golden West Synthetic Trans-Fluid 50 was developed specifically for long-life use in heavy-duty manual transmissions which specify a premium quality non-E.P. oil. Golden West Synthetic Trans-Fluid 50 matches the requirements set by Eaton and Rockwell for 250,000mile extended drain intervals. Meets TO-4 application.





GOL 046077687416 Pa GOL 046077687423 Kg GOL 046077687409 Dr BUL 046077310413 Meets or exceeds specification requirements, including:

- Detroit Diesel Allison C-3
- Detroit Diesel Allison C-4
- Caterpillar TO-2
- Ford late model C-4
- Ford late model C-5
 - Ford ESP-M2C138-CJ
- Ford ESP-M2C166-H



GOL 046077687355 Csq GOL 046077687362 Pa GOL 046077311144 Kg GOL 046077310857 Dr BUL 046077410145

Non-Detergent Motor Oil

SAE 30W

Product Application:

Non-Detergent is a pale oil is a low-cost add-on product for 1950 and older automobile engines requiring "SA" specification oil. Can also be used in lawnmower engines.







Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898

DFW: 817-590-9770

Full Synthetic Gear Oils

SAE 75W-90 and SAE 75W-140 • API GL-5/MT-1

Product Application:

Golden West Full Synthetic Gear Oil is a 100% synthetic, multi-grade, heavy-duty gear lubricant designed to meet the service demands of a commercial fleet's manual transmissions, axles, and drive units, plus the added advantage of improved fuel economy, extended drain capabilities, and all-season use even at sub-zero temperatures. Golden West Gear Oils are fortified with additives to prevent rust and corrosion and meet limited-slip specifications. Regardless of the LS specification, check to be sure of the manufacturer's limited-slip requirements for OE additives.

May be used in applications calling for:

- API GL-5 Mack GO-J Plus (75W-90)
- API MT-1 Mack GO-J (75W-140)
- SAE J2360

Gear Oil 80W 90LS

Extreme Pressure Gear Lubricant

Product Application:

Golden West Gear Oil 80W 90LS is a multipurpose, heavy-duty, extreme pressure gear lubricant recommended for enclosed gear cases. Gear Oil 80W 90LS can be applied in a full refill or top-off of Limited Slip Differentials. Please note that there could be instances when axle chatter may be present, and if this occurs, it is recommended to add at least 4oz. of aftermarket slip additive. Regardless of the LS specification, check to be sure of the manufacturer's limitedslip requirements for OE additives.

/1 Quarts 5/1 1201b.



Note: 6/1 gallon package, not limited slip 12/1qrt Package, not limited slip.

> GOL 046077666701 Csq GOL 046076000216 Pa GOL 046077311182 Kg GOL 046077310826 Dr BUL 046077310260

Also suitable for use where the following specifications are recommended:

- Eaton PS-163
- Eaton PS-037
- Eaton PS-109
- General Electric D50E9C
- Harnishfeger (P&H) 474
- Mack Truck GO-J Plus
- Mack Truck GO-J
- Meritor Automotive, Inc. (formerly Rockwell International) 0-76-E (petrol)
- Meritor Automotive, Inc. 0-76-N (syn)
- MIL-PRF-2105E
- Navistar TMS 6816
- U.S. Steel Specifications 224
- AGMA Standard 250.03

Gear Oil 85W-140

API GL-5

Product Application:

Golden West Gear Oils are formulated from the finest base oils and premium additive packages. All feature extreme pressure properties, resist wear, and have excellent oxidation stability. This gear oil is in compliance with all manufacturers' specifications and is recommended for severe service. Regardless of the LS specification, check to be sure of the manufacturer's limited-slip requirements for OE additives.



GOL 046077687287 Csq GOL 046077689294 Pa GOL 046077687300 Kg GOL 046077687317 Dr BUL 046077310246





GOL 046077555265 Pa GOL 046077311199 Kg GOL 046077310833 Dr BUL 046077310277



Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 040 DFW: 817-590-9770

Inature BY M

Hi-Temp Red Grease


NLGI GC-LB

Product Application:

Golden West Hi-Temp Red Grease is an NLGI 2 grade premium quality extreme pressure lithium complex multi-purpose grease. This product has outstanding high-temperature characteristics. The dropping point of this product exceeds 500°F.

Recommended for fleets and heavy-duty applications, including wheel bearings (disc and drum brakes).





Lithium Grease #2

Multi-Purpose • NLGI 2 Grade

Product Application:

Golden West Multi-Purpose Lithium Grease #2 is an amber-colored, NLGI 2 grade lithium stearate-based grease with rust and oxidation inhibitors. It has good stability, water resistance, and softening resistance at high operating temperatures.

Golden West Multi-Purpose Lithium Grease #2 is recommended for general automotive chassis lubrication points, ball joints, and universal joints, plus general farm and light industrial lubrication applications. It is compatible with other lithium greases but is not recommended for disc-type wheel bearings.



GOL 076568036676 10pk GOL 046077311120 Pa GOL 046077311212 Kg

Heavy-duty DOT 3 Brake Fluid

Fully Compatible with All DOT 3 Fluids

Product Application:

Golden West Heavy-duty Brake Fluid is a fully approved DOT 3 type motor vehicle brake fluid suitable for use in all vehicles where DOT 3 fluids are recommended. Suitable for use on both disc and drum brake systems and fully compatible with all DOT 3 fluids.

Meets or exceeds the requirements of DOT 3 Motor Vehicle Standard No. 571.116 and SAE J1703 and ISO 4925.





Power Steering Fluid

Helps Maintain System Performance

Product Application:

Golden West Power Steering Fluid is blended with high-quality base oils and a balanced additive package to maintain efficiency and performance in power steering systems. It helps prevent leakage, squealing, corrosion, oxidation, and wear. Golden West Power Steering Fluid will not clog or foam and can be used year-round.

** Not for electric power steering systems





GOL 039881100172 12oz GOL 039881101179 Csq





Austin & Central Texas: 800-545-4412 Sou Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898

nature BY

DFW: 817-590-9770

Anti-wear Hydraulic Oil

ISO Grades 32, 46, & 68

Product Application:

Golden West Premium Anti Wear Hydraulic oils are blended of High VI solvent neutral base stocks. These stocks provide excellent temperature extremes protection. Additive packages contain, anti-wear, anti-foam, rust inhibitors, and anti-oxidation agents. This Lubrizol additive package also contains seals-well ingredients to keep seals tight.





ISO Grade 32 GOL 046077555159 Pa GOL 046077310673 Dr BUL 046077410168 ISO Grade 46 GOL 046076000278 Pa GOL 046077310628 Dr BUL 046077410175 ISO Grade 68 GOL 046076000285 Pa GOL 046077310635 Dr BUL 046077410182

Safety Solvent

Cleans Oil-Contaminated Surfaces

Product Application:

Golden West Safety Solvent is recommended for general cleaning of petroleum-based contaminated surfaces. This product has a high flash point of 142°F. Other uses include part washer fluid.





GOL 046074000010 Pa GOL 046077310734 Dr BUL 046077310406

Brake & Parts Cleaner

Non-Chlorinated

Product Application:

This highly concentrated solvent blend provides maximum performance in a brake parts cleaner without the use of ozone-depleting chlorinated solvents. Powerful blasting spray easily removes brake fluid, grease, oily dirt, and contaminants from linings, pads, drums, cylinders, and springs without disassembling the unit.

Ask about the full line of Golden West Signature Chemicals. Get the work done fast with these powerful aerosol products developed with the most demanding jobs in mind.



Reduces Static, Dust, and Rust

Product Application:

This paraffinic and naphthalenic base product is blended with pine oil and oil of citronella to provide a quality spray oil. Cotton Spray Oil is used to reduce static electricity, suppress dust, and prevent rust when coming in contact with metal. Cotton Spray Oil does not leave stains on cotton.

anatur



















Strong & Reliable Pumps

It all starts with the pump - the heart of the system. SAMSON's quality is based on a strong pump platform.

Oil, grease, DEF, coolant, gear lube, windshield wash or used oil; SAMSON has you covered.



Durable Reels & Precision Dispense Handles

SAMSON's hose reels are built to last. Available in open or enclosed models in dual arm steel and single arm aluminum.

SAMSON's proven handle design will work in the most demanding environments, chose from digital or mechanical versions.



Efficient Evacuation Management

We offer the widest range of extractors and evacuators in the market.

Used fluid collection units are available in 18 and 27 gallon units.



We also offer Cubet Bulk Fluid dispensing packages & DEF dispense solutions

FOR US, THE SKY'S NO LIMIT.

Phillips 66° X/C Aviation Oil is an ashless dispersant, multi-grade engine oil specially formulated for year-round use in aircraft piston engines. The ashless dispersant formulation helps minimize the formation of engine sludge, varnish, piston deposits and combustion chamber deposits, resulting in a much cleaner engine compared with the use of straight (non-dispersant) mineral oils.







For more information, call our Technical Hotline at 877.445.9198 | PHILLIPS66LUBRICANTS.COM



©2022 Phillips 66 Company. Phillips 66" and its respective logos and products are registered trademarks of Phillips 66 Company in the USA and other countries.

Mobil SHC[®]



Mobil SHC industrial lubricants — better for your machines, better for your business.

Protect your equipment, ensure productivity.



Mobil SHC synthetics last up to 8 times longer than mineral oils by providing excellent high-temperature stability and oxidation resistance while maintaining viscosity in extreme temperature conditions. As the complexity of machinery increases, so do the demands made upon your lubricant. Mobil SHC lubricants can better address these demands as compared to mineral oils. With your equipment being a vital asset, it makes good business sense to protect it, and prolong its life, as best as possible. Mobil SHC, Mobil's premier line of scientifically engineered synthetic performance oils, helps provide better equipment protection, extends oil life, and enables problem-free operation. Supported by an advanced used-oil analysis program, Mobil SHC lubricants stay on the job up to 8 times longer — and by increasing productivity, they help increase profitability.

Benefit from synthetic performance lubricants pioneered by Mobil.

For more than 40 years, Mobil has been a leader in developing synthetic-performance lubricants — offering innovations beyond the capabilities of conventional oils. When conditions are severe, such as extremely high and low temperatures, heavy loads, and high or low speeds, Mobil SHC lubricants — engineered with tailored properties — provide distinct advantages, helping to extend the service life of machine components and reducing oil changes, as well as potentially reducing or eliminating equipment failure and unscheduled shutdowns. Plus, in most operating conditions, Mobil SHC offers an extended drain interval over mineral oils for added peace of mind.

The Mobil advantage: lubricating productivity.

Severe conditions, extreme temperatures, loads and pressures, moisture, excessive oil feeds, contamination — these all affect your machinery. Mobil SHC lubricants are designed with these factors in mind, whether for your gears, compressors, or bearings. **Extended oil life** — Mobil SHC lasts up to 8 times longer than mineral oils providing excellent high-temperature stability and oxidation resistance.

Extended equipment life — Mobil SHC protects your capital investment against rust, corrosion and wear. Stability in extreme temperature conditions.

Reduced energy consumption — Mobil SHC can reduce power consumption up to 8 percent compared to mineral oils in some gearbox applications.

More productivity, more profitability — Mobil SHC can potentially lower the cost of operations, increase efficiency, and put profitability on an upward path.

Backed by equipment builders worldwide — Mobil SHC is endorsed for use in over 5,800 applications by more than 1,100 major equipment builders around the world.

Applying Mobil SHC to your industry.

From power generation to general manufacturing, forest products to cement, steel to construction, every industry can utilize and benefit from Mobil SHC — with lubricants tailored for hundreds of applications — to ensure troublefree operation.

More than a lubricant: a business tool.

There is no question that optimum lubrication can help significantly improve productivity and reduce maintenance costs. Despite higher purchasing costs, the correct application of synthetics can make good economic sense when you consider the benefits of Mobil SHC lubricants against other lubricant choices. With your oil cost accounting for only a small percentage of your total maintenance cost, investing in Mobil SHC can help reduce your overall maintenance budget.

So rely on Mobil SHC to help your machinery produce more, better, faster, with more uptime and greater efficiency. Discover how Mobil SHC can help you cut down on your manpower costs, drive up your productivity — and help your business soar.

BALDWIN HEAVY-DUTY FILTERS

QUALITY. COVERAGE. SERVICE. AVAILABILITY.

FIND THE PRODUCT YOU NEED

FILTERS FOR ALL OF YOUR NEEDS

Baldwin's high quality filters are designed for on and off-road vehicles with diesel engines.

- service shops
- farmers
- trucking companies
- contractors
- municipalities
- fleets or anyone who operates diesel equipment

No matter what the industry or operating conditions, you can be confident that Baldwin's heavy-duty filters provide protection that matches or exceeds the original equipment.

HEAVY-DUTY FILTER HOTLINE

Toll Free: 1-800-822-5394

Cross-Reference Lookup and Other Filter Info: **baldwinfilter.com**





















www.baldwinfilter.com






WARNING: Laundered Shop Towels May Contain Toxic Heavy Metals. Switch to WYPALL* Wipers: A Safe, Cost-effective Alternative to Laundered Shop Towels.


WYPALL* Wipers are tough on workplace messes, convenient to use, and safely disposable. That means every time your employee grabs a wiper, you don't have to worry about the possibility of heavy-metal exposure.

With WYPALL* Wipers you get a consistent size, shape and cleanliness with each towel. Our wipers are engineered to feel like cloth but work better.

- Absorbs oil and water faster, pound for pound, than laundered shop towels
- No holes, strings, metal chips, or metal residues like laundered shop towels
- Reusable, durable, and maintains strength in solvents

WYPALL* X90 Cloths absorb both water and oil faster than laundered shop towels





Average results reported. Results for laundered shop towels based on random sample from across continental U.S.















Heavy-duty engine oils for today's lowemission engines

Discover what Mobil Delvac-branded lubricants can do for your fleet. Contact your ExxonMobil distributor today or visit MobilDelvac.com for more information.



The Mobil Delvac[™] family of heavy-duty diesel engine oils provides performance and protection that can help extend engine life.

Key benefits:

- Dependability that comes with extreme-temperature performance and outstanding protection against engine wear
- Efficiency and cost savings from improved fuel economy potential and extended oil drain interval capability

Plus, Mobil Delvac products fit a variety of applications. No matter what's in your fleet, Mobil Delvac lubricants can provide the protection you need.



Choose the best protection for your vehicle	Advanced wear protection	Enhanced oxidation stability	Extended drain capability	Emissions system protection	Low- temperature start-up	Fuel economy potential
Mobil Delvac 1™ ESP 5W-40	**	**	***	**	***	*
Mobil Delvac [™] Extreme FE 10W-30	**	***	***	**	**	**1
Mobil Delvac [™] Extreme 10W-30	**	***	***	**	**	*
Mobil Delvac Extreme 15W-40	**	***	***	**	*	
Mobil Delvac [™] Super FE 10W-30	**	**	**	**	**	**1
Mobil Delvac™ 1300 Super 10W-30	**	**	**	**	**	*
Mobil Delvac 1300 Super 15W-40	**	**	**	**	*	

The number of stars indicates relative performance level.

*Results may vary based on vehicle/engine condition, driving and environmental conditions. Consult OEM or ExxonMobil before implementing extended ODIs. 'Compared to an SAE 15W-40 engine oil. Actual savings are dependent on vehicle/engine type, outside temperature, driving conditions and your current engine oil viscosity.

Get ahead of the curve and switch to low-viscosity products

Mobil Delvac[®]

Performance by **E%onMobil**

5 reasons to upgrade now

Increase your bottom line
 Low-viscosity lubricants can help engines run more efficiently –
 reducing fuel consumption and saving you money.

2. Meet the latest emissions standards

Low-viscosity lubricants contribute to the EPA's greenhouse gas reduction strategy and are designed to meet the latest API heavy-duty diesel engine oil category standards.

3. Align with industry leaders

Many industry-leading companies like Schneider, Dot Transportation and Pride Transport already use low-viscosity lubricants to achieve their sustainability and financial goals.

4. Meet OEM recommendations

Major original equipment manufacturers (OEMs) – including Detroit, PACCAR, Volvo and Mack – continue to expand their use of low-viscosity oils for factory and service fills.*

5. Take advantage of ExxonMobil expertise Technically knowledgeable and experienced ExxonMobil reps and distributors can help you and your fleet effectively transition to low-viscosity lubricants and help maximize fuel economy benefits.




How do the API specifications impact Mobil Delvac™ products?

Better efficiency and protection

- Mobil Delvac heavy-duty diesel engine oils deliver even more wear protection than past formulations.
- API FA-4 formulations have undergone extensive testing to help deliver enhanced fuel economy benefits.*
- API CK-4 formulations offer an increase in fuel economy potential when using lower viscosity 10W-30 oils.[†]



consult individual OEM recommendations for allowable use of API FA-4 oils.



Learn more about what Mobil Delvac-branded lubricants can do for your fleet. Contact your ExxonMobil distributor today or visit **MobilDelvac.com** for more information.



Mobil Delvac[®]

Performance by **ExonMobil**

Mobil Delvac™ 1300 Super

Run your business with confidence

In the new era of API CK-4, Mobil Delvac 1300 Super heavy-duty diesel engine oil delivers advanced heavy-duty protection for both gas and diesel engines.

With its cutting-edge performance and long engine life capabilities, you can rest assured that Mobil Delvac 1300 Super heavy-duty diesel engine oil will give your trucks the protection they deserve for the road ahead.

Key benefits:

- Excellent antiwear protection
- Outstanding high-temperature performance
- Outstanding oxidation stability
- Excellent soot and viscosity control
- Potential to improve fuel economy¹ (Mobil Delvac 1300 Super 10W-30)



Guaranteed protection against oil-related engine failure²



Helps keep engines running strong:

Mobil Delvac 1300 Super heavy-duty diesel engine oil provides superb oxidation stability, exceptional soot and viscosity control, and excellent oil consumption control. That translates into:

- Extended ODI capability and reduction of low-temperature sludge buildup and high-temperature deposits
- Greater engine efficiency, long engine life, and long oil life
- Lower oil costs due to less makeup oil during operation

More protection to help maximize engine life

- 50% more wear protection than required in API CK-4 engine tests
- Extended ODI potential up to 1.5x the average OEM ODI recommendation³

For more than just diesel engines

Mobil Delvac 1300 Super heavy-duty diesel engine oil is compatible with gas engines requiring API SN and diesel engines requiring CK-4.





¹ Relative to conventional 15W-40 engine oil. Actual fuel economy improvement is dependent on vehicle/equipment type, outside temperature, driving conditions, and your current fluid viscosity.
² See limited warranty for full details.
³ Average OEM ODI recommendation based on recommended Oil Drain Intervals from major U.S. engine manufacturers using API CJ-4 oils for a variety of service severity levels and engine models. Average

³ Average OEM ODI recommendation based on recommended Oil Drain Intervals from major U.S. engine manufacturers using API CJ-4 oils for a variety of service severity levels and engine models. Average OEM API CJ-4 ODI recommendation to substantiate multiplier claims is 31,750 miles. Results may vary based on vehicle/engine condition, driving and environmental conditions. Consult OEM or ExxonMobil before implementing extended ODIs, especially if the equipment/vehicle is under the OEM's warranty.

Mobil Delvac[®]

Performance by **E%onMobil**

Tested and proven.

Our 10W-30 beat their 15W-40.

Mobil Delvac 1300 Super 10W-30 vs. Chevron Delo 400 SDE 15W-40




Based on results from Cummins ISM Crosshead Weight Loss, mg compared to API CJ-4 maximum wear leve

Our advances in lubricant technology have enabled significant enhancements in wear protection. Mobil Delvac 1300 Super delivers:

- The fuel economy potential of a 10W-30
- The enhanced wear protection of a 15W-40


A quick help guide Fuel economy and fuel-efficient lubricants

Fuel is a leading operating cost for fleets, yet only 35% of fuel's energy is used to move a truck. That's because half of fuel's energy is lost as heat and another 15% is lost as friction.^{*} Although friction cannot be completely eliminated, there are ways to reduce friction losses to help increase fuel economy.



Putting more wear protection in every bottle.

Mobil Delvac 1300 Super vs. Shell Rotella T5



Why pay more for an engine oil that provides less wear protection? Mobil Delvac 1300 Super provides:

- More wear protection than our competitors' synthetic blends
- Up to 50% more wear protection than required in API CK-4 engine tests

Meets or exceeds the requirements of:	15W-40	10W-30
API CK-4, CJ-4, CI-4 PLUS, CI-4, CH-4/SN	\checkmark	\checkmark
ACEA E9, E7	\checkmark	\checkmark
Caterpillar ECF-3	\checkmark	\checkmark
Cummins CES 20086, 20081	\checkmark	\checkmark
Isuzu DEO (w/DPD- equipped vehicles)	\checkmark	\checkmark
JASO DH-2	\checkmark	\checkmark
MAN M 3275-1	\checkmark	
Approved by the following OEMs:	15W-40	10W-30
	15W-40 ✓	10W-30 ✓
following OEMs: Detroit Fluids Specification		
following OEMs: Detroit Fluids Specification 93K222, 93K218	✓	✓
following OEMs:Detroit Fluids Specification93K222, 93K218Deutz DQC II-10 LAMack EOS-4.5, EO-O	✓	✓
following OEMs:Detroit Fluids Specification93K222, 93K218Deutz DQC II-10 LAMack EOS-4.5, EO-OPremium Plus	 ✓ ✓ ✓ 	✓ ✓ ✓
following OEMs: Detroit Fluids Specification 93K222, 93K218 Deutz DQC II-10 LA Mack EOS-4.5, EO-O Premium Plus MB-Approval 228.31	 ✓ ✓ ✓ ✓ 	✓ ✓ ✓ ✓

mpand to an SAE TSW- do engine oil. Actual avings and dependent on vehicle/engine type, adde tempenture of the dependent of the second second second second second tempenture of the adde tempenture of the second Different second secon

E×onMobil

Mobil Grease

Performance by **E%onMobil**

Simplify your grease lubrication program

How to find and eliminate sources of complexity



Where do you find complexity?

Complexity appears in many forms in a grease program, all of which could be impacting your costs, productivity, and

equipment efficiency. Below are some common examples of where it shows up.

Too many greases

- Risk of using the wrong grease for a particular piece of equipment increases
- Product mixing leads to unplanned compatibility experiments

Storage and handling

- Inefficient inventory practices drive up cost on the shelf
- Labeling challenges are caused by multiple brands, and too many products lead to misuse

Right-size your grease program

Eliminating complexity from each of these categories can reduce downtime and increase productivity.

Over-greasing or under-greasing

- Too much grease can damage seals and cause excess heat
- Too little grease can cause lubricant starvation
- Both stem from lack of training and clarity in a grease program

Multiple vendors

- Makes purchasing processes inefficient and complicated
- Conflicting product and use recommendations cause unnecessary confusion


Our grease experts can help

Ask your ExxonMobil representative or Authorized Distributor to perform a lubrication assessment to uncover opportunities to simplify your grease program.

OUR STANDARD PREMIUM TANK PACKAGE

(It's ANYTHING but standard!)

This tank package includes all the features you would expect with the quality you demand! Combining a 275SW (single wall) UIL 142 rated tank with a high volume, dependable Samson 3:1 lube pump and reel mean the highest level of performance. The unit also features a high-flow digital hand meter, digital tank monitor with remote volume info via a smart phone, a 1/2" high pressure hose, manual gauge, and a 1.5" heavy-duty fill cap, plus long-lasting, high-quality powder coat paint to keep the shop looking neat and a 3" EV (Emergency Valve). At 60" long, 27" wide and 44" tall, this tank can be installed in even the tightest spots. It can also be "chained" to double, triple or even quadruple capacity while maintaining all the advanced features and safety of a single tank.



High Flow Digital Hand Meter dispenses up to 8 gallons per minute

nsy arts





Mighty

We Care. You Matter. We Deliver!



HEAVY DUTY COOLANT & ANTIFREEZE

PROVEN PROTECTION FOR THE LONG HAUL

	FULLY Formulated	HYBRID	NOAT	EXTENDED L	IFE COOLANT
NAME	SCA PRECHARGED	HYBRID BLUE	FINAL CHARGE NOAT	ELC NF	FINAL CHARGE GLOBAL
TECHNOLOGY	CONVENTIONAL	HOAT 2-EHA FREE	2-EHA	OAT 2-EHA	2-EHA FREE
COLOR	FUCHSIA	BLUE	RED	RED	RED
BASE	ETHYLENE GLYCOL	ETHYLENE GLYCOL	ETHYLENE GLYCOL	ETHYLENE GLYCOL	ETHYLENE GLYCOL
NITRITED	YES	YES	YES	NO	NO
SILICATES	LOW SILICATE	LOW SILICATE	NO	NO	NO
SERVICE LIFE	LIFETIME*	LIFETIME*	750,000 MILES	600,000 MILES	1,000,000 MILES
SCE / EXTENDER	EA. 30K MILES	EA. 150K MILES	NONE	NONE	NONE
ON / OFF ROAD	ON / OFF	ON / OFF	ON / OFF	ON	ON / OFF

* WITH REGULAR MAINTENANCE WITH A QUALITY SCA

Mobil Diesel Efficient[®]

TEI is a licensed reseller of Mobil Diesel Efficient,[™] the first and only differentiated, additized diesel fuel with a quantified on-road fuel economy claim. The advanced patented technology in Mobil Diesel Efficient[™] fuel enables superior performance versus diesel without detergent additive. Mobil Diesel Efficient[™] helps improve performance of the engine and fuel system in both on-highway and off-highway applications.

Today's diesel engines have sophisticated fuel systems engineered to meet stringent emissions requirements. Injector deposits can restrict fuel flow, deteriorate fuel spray quality, and result in loss of engine power, increased emissions, and reduced fuel economy. Mobil Diesel Efficient[™] fuel helps to prevent deposit formation and clean up existing deposits that may be damaging your engine performance.



English

more about Mobil Diesel Efficient.™

Scan the

code to learn



Escanee el código para obtener más información sobre Mobil Diesel Efficient.™

Please contact your TEI representative or visit the website to learn more: www.texasenterprises.com



Hardworking fuel for hardworking people



Improved fuel economy*



Improved engine performance & responsiveness*

TEXAS ENTERPRISES, INC.



Reduced GHG emissions*



Decreased maintenance costs*



Improved uptime*



ExonMobil Brands

*Applies to Diesel Efficient branded fuel compared to diesel fuel without detergent additive. Vehicle testing showed and average fuel economy improvement of 2 percent. Actual benefits and fuel economy vary depending upon factors such as vehicle/engine type, engine conditions, driving style, and diesel fuel previously used. ©2020 ExxonMobil. All trademarks used herein are trademarks or registered trademarks of ExxonMobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners.

TEXAS ENTERPRISES, INC.









Mighte

TRIPLE S FUELS

OUR EMPLOYEES. OUR CUSTOMERS. OUR PARTNERS. TO US, YOU'RE FAMILY.

Your success drives everything we do. You're the reason we go the extra mile (and a whole lot further) each and every day. Providing the most comprehensive catalog of automotive maintenance products. Partnering with the top brands and suppliers in the industry.

Delivering exceptional customer service, day or night, rain or shine. Creating enduring relationships that ensure quality and consistency.

Because, when it's all said and done, that's what you do for people you care about. Those who matter to you most. You deliver for them.

