



Material Safety Data Sheet
 Golden West Chlorinated
 Brake Parts Cleaner

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.	U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072
---	---

Identity (As Used on Label and List) Golden West Synthetic Gear Oil 75W90	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

Section I

Manufacturer's Name Golden West Packaging Co.	Emergency Telephone Number 210-649-1401
Address (Number, street, city, state and ZIP code) 13598 Hwy 87 East Adkins, TX 78101	Telephone Number for Information 210-649-1401
	Date Prepared 2007
	Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Components - Chemical names and common names (Hazardous Components 1% or greater, Carcinogens 0.1% or greater)	CAS Number	SARA III List	OSHA PEL (ppm)	ACGIH TLV (ppm)	Carcinogen Ref. Source
Heptane	142-82--5	No	500	400	d
Alcohol:					
Isopropanol	67-63-0	No	400	400	d
Carbon Dioxide	124-38-9	No	5000	5000	d

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	Specific Gravity (H2O = 1)	0.0875
Vapor Pressure - PSIG@70°F	N.A.	Melting Point	N.A.
Vapor Density (AIR = 1) - N.E.	N.E.	Evaporation Rate (Butyl Acetate = 1)	N.E.
Solubility in Water - None			
Appearance and Odor - Clear forceful spray with aliphatic solvent odor.			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	N.A.	Flammable Limits N.A.	LEL	UEL
Extinguishing Media - Foam or dry chemical or carbon dioxide.				
Special Fire Fighting Procedures - Self contained breathing apparatus.				
Unusual Fire and Explosion Hazards - Do not expose aerosols to temperatures above 180°F or container may rupture				
Style CU-FP 174 Labelmaster, Div. Of American Labelmark Co. Inc. 60646			OSHA 174, Sept. 1985	

Section V - Reactivity Data			
Stability - Stable		Conditions to Avoid - Open flame, welding arcs, heat and sparks	
Incompatibility (Materials to Avoid) - Strong oxidizing agents			
Hazardous Decomposition or Byproducts - Carbon Dioxide, Carbon Monoxide			
Hazardous Polymerization - N.A.		May Occur	Conditions to Avoid -
		Will Not Occur - X	
Section VI - Health Hazard Data			
Route(s) of Entry: Inhalation of burned product. Wash off skin.		Inhalation? Avoid	Skin? Avoid contact with skin Ingestion? N.A.
Health Hazards (Acute and Chronic) - Avoid fumes when burned. Avoid prolonged contact with skin.			
Carcinogenicity: Possible	NTP?	IARC Monographs?	OSHA Regulated?
Signs and Symptoms of Exposure - Irritation of eyes when in contact with fumes or smoke when burned.			
Medical Conditions Generally Aggravated by Exposure - None in stable condition.			
Emergency First Aid Procedures - Wash skin with soap after contact.			
Section VII - Precautions for Safe Handling and Use			
Steps to be Taken in Case Material is Released or Spilled - Remove ignition sources. Contain in safe area until clean up effected.			
Waste Disposal Method - According to local, state and federal law.			
Precautions to be Taken in Handling and Storing - Keep containers closed when not using.			
Other Precautions - Avoid breathing fumes. Wash skin thoroughly after exposure.			
Section VIII - Control Measures			
Respiratory Protection (Specify Type) - Required			
Ventilation	Local Exhaust - O.K.	Special -	
	Mechanical (General) -	Other -	
Protective Gloves - Recommended			
Eye Protection - Goggles			
Other Protective Clothing or Equipment - None required			
Work/Hygienic Practices - Always wash exposed skin in soap-water solution.			
U.S.G. P.O.: 1986-491-529/45775			