



Material Safety Data Sheet
Golden West Windshield Wash
Summer

Material Safety Data Sheet May be used to comply with OSHA's Hazard Communication Standard, 39 CFR 1910.1200. Standard must be 39 CFR 1910.1200. Standard must be consulted for specific requirements.		U.S. Department of Labor Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072		
Identity (As Used on Label and List) Golden West Windshield Wash – Summer		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.		
Section I				
Manufacturer's Name Golden West Packaging Plant		Emergency Telephone Number 210-649-1401		
Address (Number, street, city, state and ZIP code) 13598 Hwy 87 East Adkins, TX 78101		Telephone Number for Information 210-649-1401		
		Date Prepared 2005		
		Signature of Preparer (optional)		
Section II - Composition/Information on Materials				
REPORTABLE COMPONENTS		CAS Number	Percent	
Glycol Ether EB Additives Exposure Guidelines: OSHA STD - 8HR TIME WEIGHTED AVG (TWA) 25PPM		111-76-2 N.A	<15% <1%	
Section III - Physical/Chemical Characteristics				
Boiling Point	210-212°F	Specific Gravity (H2O = 1)	0.9999@70°F	
Vapor Pressure (mm Hg.)		Melting Point		
Vapor Density (AIR = 1)	N.D.	Evaporation Rate (Butyl Acetate = 1)	N.D.	
Solubility in Water - Completely Soluble				
Appearance and Odor - Clear, blue liquid, mild alcohol odor				
Section IV - Fire and Explosion Hazard Data				
Flash Point (Method Used)	N.A. (TCC)	Flammable Limits	LEL	UEL
		N.A.	N.A.	N.A.
Extinguishing Media - Non flammable.				
Special Fire Fighting Procedures - none required				
Unusual Fire Explosion Hazards - None flammable				
Style CU-FP 174 Labelmaster, Div. Of American Labelmark Co. Inc. 60646			OSHA 174, Sept. 1985	

Section V - Reactivity Data			
Stability - Stable		Conditions to Avoid - None	
Incompatibility (Materials to Avoid) - none			
Hazardous Decomposition or Byproducts - none			
Hazardous Polymerization	May Occur	Conditions to Avoid -	
	Will Not Occur - X		
Section VI - Health Hazard Data			
Route(s) of Entry:	Inhalation? vapor when heated	Skin? no prolonged use	Ingestion? Possible
<p>Health Hazards (Acute and Chronic) -</p> <p>INHALATION: Breathing of vapor or mist is possible. Breathing small amounts during normal handling is not likely to cause harmful effects. Breathing large amounts can be harmful. Symptoms usually occur at air concentrations higher than the recommended exposure limits.</p> <p>EYE: May cause mild irritation. Symptoms include stinging, tearing, and redness.</p> <p>SKIN: May cause mild irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of the skin.</p> <p>INGESTION: Swallowing this material may be harmful.</p> <p>SYMPTOMS OF EXPOSURE: Symptoms of exposure may include: nausea, vomiting, diarrhea, irritation (nose, throat, airways), dizziness, drowsiness, weakness, fatigue, headache, unconsciousness, leg cramps, pain in the abdomen and lower back, blurred vision, shortness of breath, cyanosis (causes blue coloring of the skin and nails from lack of oxygen), visual impairment (including blindness).</p>			
Carcinogenicity: No	NTP? No	IARC Monographs? No	OSHA Regulated? No
Signs and Symptoms of Exposure - see above			
Medical Conditions Generally Aggravated by exposure - Exposure to this material may aggravate any preexisting condition sensitive to a decrease in available oxygen, such as chronic lung disease, coronary artery disease or anemias.			
<p>Emergency First Aid Procedures -</p> <p>INHALATION: Move individual to fresh air. If symptoms persist seek medical attention. If breathing is difficult administer oxygen provided a qualified operator is present.</p> <p>EYE CONTACT: Flush immediately with large quantities of water for 15 minutes, lifting eye lids to ensure that all surfaces are flushed. Seek medical attention.</p> <p>SKIN: Remove contaminated clothing and wash contaminated skin with large amounts of soap and water. If irritation persists, get medical attention. Launder clothing before reuse.</p> <p>INGESTION: Seek medical attention immediately. If individual is conscious, they may dilute by drinking water. If individual is drowsy or unconscious, do not give anything by mouth. Under either circumstance, do not leave the individual unattended if at all possible. Contact a physician, medical facility, or poison control center immediately</p>			
Section VII - Precautions for Safe Handling and Use			
Steps to be Taken in Case Material is Released or Spilled - Not hazardous to environment.			
Waste Disposal Method - Dispose of in accordance with all applicable local, state and federal regulations.			
Precautions to be Taken in Handling and Storing- none			
Other Precautions - none			
Section VII - Control Measures			
Respiratory Protection (Specify Type) - non needed			
Ventilation- none			
Protective Gloves - none needed			
Eye Protection - Use chemical safety glasses, goggles, or face shields for eye protection.			
Other Protective Clothing or Equipment - It is the responsibility of the user to determine the proper protective equipment that is needed based on how the product will be used.			
Work/Hygienic Practices - Wash thoroughly after handling.			

Section IX - Disclaimer

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by LFK Industries, Inc., to be accurate. However, the information is provided without any representation or warranty, expressed or implied, regarding its accuracy or correctness.

The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. It is the responsibility of the user to determine the safety, toxicity and suitability of his own use, handling and disposal of this product.