Lubricants & Related Products for: Farming • Trucking • Marine • Automotive • Construction • Industry • Aviation

FUELED BY FAMILY

























We Care. You Matter. We Deliver!

TEXAS ENTERPRISES, INC.

We're a fifth-generation family-owned and professionally operated company. But family doesn't just describe us, it defines us.

Our employees. Our customers. Our partners. To us, you're family.

Your success drives everything we do.

You're the reason we go the extra mile (and a whole lot further) each and every day.

Providing the most comprehensive catalog of products. Partnering with the top brands and suppliers in the industry. Delivering exceptional customer service, day or night, rain or shine. Creating enduring relationships that ensure quality and consistency.

Because, when it's all said and done, that's what you do for people you care about. Those who matter to you most.

You deliver for them.

TEXAS ENTERPRISES, INC.















We Care. You Matter. We Deliver!





Mobil Delvac

Mobil 11

Mobil SHC

Mobil Diesel Efficient





Commitment to Brand and Product Integrity

ExxonMobil Fuels & Lubricants and Research and Engineering companies recognize that Brand Integrity, Product Integrity, and customer satisfaction are of primary importance to our success. Our absolute **Commitment to Brand and Product Integrity** requires clear understanding and proactive management of product quality, performance, representation, and regulatory compliance, customer experience, and brand identity. Mindful of our responsibility to the consumers and customers we serve directly and to the channel partners who distribute our products, we strive to understand their requirements and concerns and to merit their business by responding effectively to their needs.

Specifically, we are committed to:


- high-quality products that meet or exceed equipment specifications and consumer and customer needs under all reasonable circumstances;
- services that reliably meet responsible standards of performance, efficiency, and courtesy;
- accurate and sufficient information about our products and services, including details of guarantees and warranties,
 so that consumers and customers can make informed purchasing decisions; and
- honesty in advertising and other communications.

In addition, where products reach the ultimate consumer through independent parties, such as service station dealers and distributors, we work closely with them to ensure brand and product integrity through their operations.

To deliver our **Commitment to Brand and Product Integrity**, we continually evaluate and improve our global brand and product integrity management system framework.

TEXAS ENTERPRISES, INC.

Authorized ExxonMobil Distributor



Serving Texas & Eastern New Mexico

- **1 United Oil & Grease Company Abilene** 2702 Industrial Blvd • Abilene, TX 79605 Ph: (325) 695-0150 • Fax: (325) 695-7539
- 2 United Oil & Grease Abilene Fuels 325 South 13th • Abilene, TX 79602 Ph: (325) 672-8465 • Fax: (325) 676-7779
- 3 United Oil & Grease Company Lubbock 3100 Clovis Rd. • Lubbock, TX 79415 Ph: (806) 763-1818 • Fax: (806) 763-5447
- **1 Mighty of DFW**3524 Liston Lane Euless, TX 76040
 Ph: (817) 590-9770
- Allied Sales Company Austin 5005 E. 7th Street • Austin, TX 78702 Ph: (512) 385-2167 • Fax: (512) 385-0259
- Allied Sales Company Temple 2702 Adams Ave. ● Temple, TX 76503 Ph: (800) 220-8393 ● Fax: (254) 773-3073

- Hotsy Carlson Austin 4711 E. 7th St. • Austin, TX 78744 Ph: (512) 442-2267 • Fax: (512) 442-3190
- 2 Hotsy Carlson Bryan 1605 Gooseneck Dr. ● Bryan, TX 77808 Ph: (979) 778-2747
- **3 Hotsy Carlson Killeen** 5520 MLK Jr Blvd. ● Killeen , TX 76543 Ph: (254) 200-1660 ● Fax: (254) 442-3190
- ① Golden West New Braunfels 4320 S IH 35 • New Braunfels, TX 78132 Ph: (800) 288-6372 • Fax: (830) 625-1924
- **Q Golden West San Antonio** 3010 Aniol Street ● San Antonio, TX 78219 Ph: (800) 638-6628 ● Fax: (210) 222-1034
- 3 Golden West Laredo 107 Wilcox • Laredo, TX 78046 Ph: (800) 638-6628 • Fax: (210) 222-1034

- ◆ Golden West Castroville

 515 US-90 E Suite B Castroville, TX 78009

 Ph: (830) 931-2135
- Golden West Devine
 1202 Crouch AveJourdanton, TX 78026
 Ph: (830) 665-4481
- Golden West Jourdanton 1202 Crouch AveJourdanton, TX 78026 Ph: (830) 769-3351
- **(1) Kapalua Corpus Christi** 4780 Westway Dr. • Corpus Christi, TX 78408 Ph: (361) 360-7896 • Fax: (361) 360-7899
- **2 Kapalua McAllen** 10721 North 10th St. • McAllen, TX 78504 Ph: (956) 381-0976 • Fax: (956) 383-1744



Included in this catalog:

About Texas Enterprises, Inc	Page 2
Mobil™ Product Integrity Statement	Page 3
Texas Enterprises Company Locations	Page 4
Texas Enterprises Company Personnel	Pages 6-12
Kapalua Marine, Fuels & Lubes	Page 13
Hotsy Carlson	Page 14-15
Signature Lubricants	Pages 16-17
Golden West DEF (Diesel Exhaust Fluid)	Page 18
Mighty Inventory Management	19
Mighty Filters & Chemicals	Pages 20-21
MobilServ [™] & Mobil [™] Products	Pages 22-25
Triple S Fuels	Page 26
Signature Chemicals	Page 27
TruFuel	Page 28
Royal Purple	Page 29
Mobil DTE [™]	Pages 30-31
AeroShell	Page 32
RainX Latitude Wiper Blades	Page 33
Hotsy Carlson Products	Pages 34-35
Mighty Auto Parts	Pages 36-38
Janitorial Supplies	Pages 39-42
Car Wash Equipment & Supplies	Pages 43-45
Golden West Lubricant Products	Pages 46-58
Rain-X Products	Page 50

Peak Windshield Wash	Page 60
Mobil™ Grease	Page 61
Mobil Delvac™	Pages 62-65
Mobil SHC™	Pages 66-67
Peak Antifreeze	Page 68
NypAll Wipers	Page 69
ND-40	Page 70
Phillips 66® X/C Aviation Oil	Page 71
Samson Products	Page 72
Our Standard Premium Tank Package	Page 73
Baldwin Heavy-Duty Filters	Page 74
Mobil Diesel Efficient™	Page 75



Corporate



Ford Smith
President & Owner



Ed LooneyExecutive Vice President



Cody DouglasVP of Credit & Treasury



Mia Schauer VP of Human Resources



Brett OdomVP of Technology



Bill NethertonDirector of Resale Fuels



Stephanie NicholsonMarketing Manager



Michael ZananiriDirector of Safety















TEXAS ENTERPRISES, INC.



Allied Sales Company opened in the 1940s, offering lubricants and related products to car dealerships, retailers, and more — since then, it has grown into a vital supply hub to the central Texas market. The Austin-based division supports customers with the highest levels of service. The division also operates DC #2 in Temple, Texas, expanding our reach and providing convenience to the entire mid-state area. Both the Austin and Temple locations serve as delivery hubs to suit the vital business needs of our clients while also acting as retail sites for walk-in customers.



Ray Janss General Manager Allied Sales



William Ford Smith Sales Manager Allied Sales



Ryan Tutt
Director of Operations
Allied Sales
Austin



Tory Gall
Territory Manager
Allied Sales
Austin



Ashton Kanak
Territory Manager
Allied Sales
Austin



Jon Little
Territory Manager
Allied Sales
Austin



Jake Moyers
Territory Manager
Allied Sales
Austin



Bryan Newman
Territory Manager
Allied Sales
Austin



Imeldo Solache
Territory Manager
Allied Sales

Austin



Stephen Borden
Territory Manager
Allied Sales
Temple



Jim Neal
Territory Manager
Allied Sales
Temple

















Texas Enterprises acquired Hotsy Carlson Equipment in 2022, further growing the business to expand into the Industrial Cleaning Solutions market. Operating in Austin, Bryan, and Killeen, Hotsy Carlson Equipment delivers World Class Service, Equipment and Supplies for their customers. With excellence and customer satisfaction as the standards since 1974, Hotsy Carlson's customers have enjoyed the best equipment and service that money can buy.



Wayne Beardsley
Sales Manager
Hotsy Carlson



Alicia Schultz
Operations Manager
Hotsy Carlson



Matt Thompson Lead Technician, CMT Hotsy Carlson



Zachary Gordon
Sales Representative
Hotsy Carlson
Bryan



Michelle Loftus
Sales Representative
Hotsy Carlson
Central Texas



LB Schultz
Inside Sales
Hotsy Carlson
Austin

















Golden West Oil Company opened in the 1960s serving south and south-central Texas with lubricants and related products. Golden West operations have run uninterrupted for decades providing value and service to customers throughout the region. Locations include San Antonio, Laredo, and New Braunfels. At Golden West, customers will find access to petroleum products and complete supporting services that exceed what the competition offers.



Rick Taylor General Manager Golden West Oil



Steve Lucero, CLSSales Manager
Golden West Oil



Jay TinsleyDirector of Operations
Golden West Oil



Chad Raemsch
Territory Manager
Golden West Oil
New Braunfels



Josh Schoenfeldt
Territory Manager
Golden West Oil
New Braunfels



Josh Gregory
Territory Manager
Golden West Oil
San Antonio



Ken Schoenfeldt
Territory Manager
Golden West Oil
2 San Antonio



Justin Smith
Territory Manager
Golden West Oil
2 San Antonio



Joe Torres
Territory Manager
Golden West Oil
San Antonio



Reyes Valdez
Territory Manager
Golden West Oil
San Antonio



Ruben Valdez
Territory Manager
Golden West Oil
3 Laredo

















United Oil & Grease became a division of Texas Enterprises in the 1990s with locations in Abilene, Snyder, and Lubbock, Texas. UO&G distributes in markets throughout West Texas and Eastern New Mexico, combining a professional yet easy-going staff with a level of service that serves even the most demanding customer expectations.



Brandon HughesGeneral Manager
United Oil & Grease



Jason Slayton Sales Manager United Oil & Grease



Brock IsbellDirector of Operations
United Oil & Grease



John Cooper
Territory Manager
United Oil & Grease
Abilene



Matt Cumby
Territory Manager
United Oil & Grease
Abilene



Jason Little
Territory Manager
United Oil & Grease
Abilene



Mark Shannon, CLS
Territory Manager
United Oil & Grease
Abilene



Stefani West
Inside Sales
United Oil & Grease
Abilene



Jonathan Baker
Territory Manager
United Oil & Grease
3 Lubbock



Josh Baker, CLS
Territory Manager
Allied Sales
3 Lubbock



Diana Brossman
Territory Manager
United Oil & Grease
3 Lubbock



Ernie Cook
Territory Manager
Allied Sales
3 Lubbock

















Based in Euless and serving the Metroplex area for many years, the Mighty of DFW branch is committed to providing the parts and supplies needed to keep business running smoothly. This team of professionals knows the competitive nature of the your business. They will meet your needs quickly with the highest quality products at prices that will keep your business profitable.



Brandon HughesGeneral Manager
Mighty of DFW



Jason SlaytonSales Manager
Mighty of DFW



Jason Reisor
Merchandising Specialist
Mighty of DFW
Dallas/Forth Worth



Drew Jacobs
Territory Manager
Mighty of DFW
Dallas/Forth Worth



Cory Holton
Territory Manager
Mighty of DFW
Dallas/Forth Worth



Joey Oggier
Territory Manager
Mighty of DFW
Dallas/Forth Worth



Paul Whisman
Territory Manager
Mighty of DFW
Dallas/Forth Worth

















Texas Enterprises acquired Kapalua Marine, Fuels, & Lubes in 2017, allowing our growing business to significantly expand services to the marine lubricants and related products market. Operating distribution centers in Corpus Christi and MacAllen, the division also provides both in-land and marine fueling operations. Kapalua delivers superior service to every customer at the speed of business.



Joe Rutter General Manager Kapalua



Jayson SanchezBusiness Development
Kapalua



Jeff Knobeloch
Territory Manager
Kapalua
Corpus Christi



Lexi McMurtry
Territory Manager
Kapalua
Corpus Christi



Mark Conner, CLS
Territory Manager
Kapalua
McAllen



Jason Martinez
Territory Manager
Kapalua
McAllen


















EXPERIENCE THE BUTTERFLY EFFECT: TRANSFORMING TODAY'S IDEAS INTO TOMORROW'S SOLUTIONS



Delivery Method:



New Product Available:

Fuel: LSMGO Max 0.1%

IMO2020 Compliant Marine Bunkers

Ports Serviced:

- Corpus Christi
- Ingleside
- Brownsville
- Rockport
- Point Comfort

Kapalua Marine Fuel is a physical supplier of marine fuels, lubricants, and related products servicing the Texas Gulf Coast maritime community. Kapalua's experienced team simplifies the bunkering process through real-time insights and intricate knowledge of the South Texas region. With over 15 years of combined industry knowledge, Kapalua offers competitive pricing and favorable payment terms.

Kapalua operates a modern fleet of U.S. Coast guard approved tank trucks servicing the Texas Gulf Coast. With our own warehouse, Kapalua provides marine bunkering and lubricants to commercial and military vessels throughout the Texas Gulf Coast, providing our customers with the same service and quality no matter which port they call.



341 44th Street | Corpus Christi, TX 78405 | Ph: (361) 360-7896 | Fax: (361) 360-7899



We are pleased to announce that as of January 2022, Texas Enterprises, Inc. acquired Hotsy Carlson Equipment.

For nearly 50 years, Hotsy Carlson Equipment has provided industrial cleaning equipment, detergents, rentals, service, parts and repair to South and Central Texas. As a Hotsy® All Star Service Center, we specialize in commercial pressure washers. However, our team is trained on all brands of cleaning equipment. Hotsy Carlson is a master dealer for Victory Sprayers, Vital Oxide disinfectant, Optima steam cleaners and more. We sell mounted equipment for trailers, pickups, water reclamation systems and design wash bays to keep a fleet of construction vehicles clean. All Hotsy dealers provide on-site service at your facility and all maintain an extensive parts inventory.

Hotsy manufactures more than 100 different models of hot-water pressure washers and cold-water pressure washers, with dozens of machine options to customize your pressure washer for your specific cleaning application. We also have the industry's best warranty: a seven-year warranty on the pump and five-year warranty on the coil. Hotsy pressure washers are rugged, durable and engineered to deliver superior quality and workmanship. When you buy a Hotsy, you can count on it to work for you day after day and year after year.



As an industry leader, we have the resources to supply you with quality industrial cleaning equipment and supplies as well as a much larger catalog of products and services now. We encourage you to reach out to your local branch in Austin, Bryan, Killeen, or Corpus Christi, or view us online at www.hotsycarlson.com for more information. We have decades of experience solving companies' toughest cleaning needs and we look forward to better understanding your business needs and building a long-lasting relationship.

Schedule an appointment for repair at your jobsite or visit our showrooms for demos, rentals, and training. Our equipment is utilized by EMS fleets, local schools, TXDOT, the food service industry, construction crews and more.

We are excited and grateful for the opportunity to continue to earn and grow your business. Thank you and remember "we know clean!"



TEXAS ENTERPRISES, INC.







Pressure Washers

Hotsy is the No. 1 brand of pressure washers, offering both hot-water and cold-water pressure washers as either portable or stationary units. With a selection of equipment that runs on electricity, gasoline, diesel, or even natural gas LP, Hotsy Carlson has more than 120 different models to choose from to meet your most challenging cleaning needs.



Detergents Are Vital

Detergent are essential for proper cleaning. Texas Enterprises offers specially formulated detergent solutions to provide extra cleaning power when blasting away dirt, grime, grease, salt, and more from a variety of surfaces. No matter what you clean, you can clean it better and faster with the right detergent.



Steam Cleaners

Steam delivers a low-water, high-temperature way to break up soil, grease, and grime. Plus, steam can naturally sanitize while eliminating the need for large water tanks or wastewater collection. Learn how Optima Steamers can help.



Every Accessory You'll Need

With a full range accessories, Texas Enterprises offers solutions to make any cleaning job easy and efficient.

More Than Equipment & Detergent

Texas Enterprises offers more than the equipment and detergent you need for the cleaning problems you face. Our decades of experience, mean the professional advice you need to make the right choices for your business — and your budget.

Your TEI Sales Rep Now Offers the Advantage of Hotsy Cleaning Products



Call your TEI sales rep today, or your local service center:

Austin, TX **512.442.2267**

Killeen, TX **254.200.1660** Bryan, TX **979.778.2747** Corpus Christi, TX **361.360.7896**



Visit Our Website to Learn More





The Signature Rack Stand

Designed to make your shop more efficient and ultimately more successful, the new Signature Rack Stand provides your customers a wider variety of products and grades to meet their needs. Our rack stand allows convenient access to your favorite Signature products, so you can maintain a cleaner shop and create a strong brand awareness with your customers.



- · Fits in tight areas while allowing easy access
- Eliminates the hassles of using quart bottles
- Provides maximum storage efficiency
- Keeps your products organized
- Provides great visibility leading to more sales
- Installs easily and quickly
- Reduces product damage
- Elevates the Signature brand
- Environmentally friendly





©Copyright 2015, Texas Enterprises, Inc., Austin, Texas. All rights reserved.



Offering a complete line of lubricant products with the quality you need and the value you expect.

Golden West presents the Signature line of quality lubricant products designed to meet or exceed the requirements of most gasoline and diesel engines, and automatic transmissions. Our premium lubricants provide today's vehicles with the maximum protection at a great value—standards you've come to expect with all Golden West products.















©Copyright 2018, Texas Enterprises, Inc., Austin, Texas. All rights reserved.







Dispensing and Storage Solutions — **Everything you need for success** in the DEF business

DIESEL EXHAUST FLUID

Diesel Exhaust Fluid in 2.5 Gallon Containers

The convenient 2.5 gallon box features an easy-to-carry handle and an included pouring nozzle.

Manual Lever-Style Pumping System

The 4162 hand-operated manual pumping system offers an inexpensive method of delivering DEF. Works with 55 gallon drums.

Works with 55 gallon drums



55 Gallon Electric Drum Pump with Dolly

This convenient 55 gallon drum cart allows for easy portability. Can be used with a hand-operated pump or with an electronic volume metering pump.

- Heavy-duty four wheel dolly
- Optional electronic pump and meter



55 Gallon Drum Cart

IBC Tank (Tote) Electric Pumping Systém

The Tote system includes an electronic pump, a stainless steel mounting bracket with nozzle holder, electronic meter that measures in gallons, and an automatic stainless steel nozzle with a 20' delivery hose and one 4' suction hose.

- Large volume tote with electric pump
- Electronic meter measures in gallons



Tote with Electric Pump

700 Gallon Vertical Tank

2.5 Gallon Container



- Made from HDPE material
- Micromatic EP and Butterfly Valves

700 Gallon Tank Container

1025 Gallon Horizontal Tank



- Made from HDPE material
- Micromatic EP and Butterfly Valves

1025 Gallon Tank Container















Corpus Christi (361) 360-7896 **New Braunfels** (800) 288-6372 San Antonio & S. Texas (800) 638-6628

Abilene: (800) 375-3040 Lubbock: (800) 259-1818

Austin (800) 545-4412

Fort Worth (817) 590-9770

How Do You Make More Money with Mighty?

"TRIM" Your Inventory!



Targeted Registration-Based Inventory Management (TRIM)

Mighty offers an exciting electronic application for customers called TRIM, which stands for Targeted Registration-Based Inventory Management.

This online tool maps vehicle registration data to Mighty's catalog application and parts database. TRIM reports include:

- Stocking guides for Mighty brakes (rotors, drums, shoes, pads) and filters (air, oil, cabin, fuel)
- · Vehicle counts by year, make and model
- Average vehicle ages
- . Maps by vehicle age and population

The data can be filtered by counties, cities and/or zip codes. This functionality enables our customers to better forecast and 'TRIM' stocking levels for their back rooms.

















Mighty The Best-Selling

OIL & AIR FILTERS

MightyMAX filters are specifically built for extended Oil Drain Intervals and pair perfectly with full synthetic oils that many OEM manufacturers are requiring.



WE'RE #1

because our customers are our #1 priority in everything we do.

- OE Quality Parts
- Chemicals & Lubricants
- Personal Service
- Training & Support



How Are Your Chemical Sales?



Professional Grade



We have YOU Covered

POWERING YOUR PERFORMANCE



OE Quality Parts



Chemicals & Lubricants



Personal Service



Training & Support

WE'RE #1

because our customers are our #1 priority in everything we do.



Ask how we can drive efficiency at your job site

Mobil Serv

Performance by **ExonMobil**



Chosen by many of the world's leading heavy-duty equipment manufacturers

Make real-time efficiency decisions via an easy-to-use portal

Get precise analysis and detailed, actionable recommendations through an intuitive interface for easy account management and fast results accessible on your computer or mobile device.

- Enhance equipment reliability to increase productivity
- Reduce maintenance costs and unscheduled downtime
- Improve equipment durability
- Lessen lubricant consumption

Engine oils that support business growth

For more than 90 years, Mobil Delvac™ has been a trusted lubrication collaborator for many of the world's most successful fleets, providing:



Dependability
that comes with extreme-temperature
performance and outstanding engine protection



Efficiency and cost savings from improved fuel economy potential* and extended oil drain interval capability[†]

Mobil Delvac™ engine oils	Enhanced engine protection	Emission system protection	Long oil drain interval capability†	Fuel economy potential	Low- temperature performance
Mobil Delvac 1 [™] Advanced Fuel Economy 5W-30	***	***	***	***	**
Mobil Delvac 1™ ESP 0W-40	***	***	***	*	***
Mobil Delvac 1™ ESP 5W-30	***	***	***	**	**
Mobil Delvac 1™ ESP 5W-40	***	***	***	*	**
Mobil Delvac™ Extreme FE 10W-30	**	**	***	**	**
Mobil Delvac™ Extreme 10W-30	**	**	***	*	**
Mobil Delvac™ Extreme 15W-40	**	**	***		*
Mobil Delvac™ Super FE 10W-30	**	**	**	**	**
Mobil Delvac™ 1300 Super 10W-30	**	**	**	*	**
Mobil Delvac™ 1300 Super 15W-40	**	**	**		*


The number of stars indicates relative performance levels within the Mobil Delvac $^{\!\top\!\!\!M}$ product range.

^{*}Compared to an SAE 15W-40 engine oil. Actual savings are dependent on vehicle/engine type, outside temperature, driving conditions and your current engine oil viscosity.

Results may vary based on vehicle/engine condition, driving and environmental conditions. Consult OEM or ExxonMobil before implementing extended ODIs.

Heavy-duty technology for all of your heavy-duty equipment

Excavators? Loaders? Haul trucks? We've got you covered.



Boosting uptime

Reducing maintenance



Mobil Delvac 1" ESP 0W-40, 5W-30, 5W-40 (CK-4) Mobil Delvac 1" Advanced Fuel Economy 5W-30 (FA-4)

Advanced full synthetic oils that demonstrate:

- Extended oil drain interval (ODI) potential up to 3X the average OEM ODI recommendation*
- Long engine life and reliable operation in a wide range of applications
- Emission system protection



Mobil Delvac" Extreme 10W-30, 15W-40 (CK-4) Mobil Delvac" Extreme FE 10W-30 (FA-4)

Synthetic oils that deliver:

- Extended ODI potential up to 2X the average OEM ODI recommendation*
- Up to 46% more antioxidant and 44% more anti-wear additive than Mobil Delvac 1300 Super
- Exceptional oxidation stability[†]



Mobil Delvac" 1300 Super 10W-30, 15W-40 (CK-4) Mobil Delvac" Super FE 10W-30 (FA-4)

Synthetic blend oils that provide:

- Extended ODI potential up to 1.5X the average OEM ODI recommendation*
- Stay-in-grade shear stability and excellent low-temperature pumpability
- Excellent soot and viscosity control



Mobiltrans™ AST Series

- All-season lubrication for all drivetrain components
- Helps deliver extended drain and service intervals
- Formulated for long clutch and wet brake life; meets Cat TO-4M specification



Mobil™ DTE 10 Excel Series

- Outstanding wear protection and system cleanliness
- Excellent oxidation and thermal stability
- Energy efficiency potential to reduce fuel expenses



Mobiltrans[™] HD Series

- Viscosity grades for hydraulic, transmission and drivetrain applications
- Formulated for long clutch and wet brake life; meets Cat TO-4 specification
- Excellent gear and bearing protection



Mobil™ Hydraulic 10W

- Excellent performance in a wide range of hydraulic systems
- Protection against oil thickening, high-temperature deposits, varnish and oil degradation
- Good performance at higher temperatures and extended operating intervals



Mobil Centaur™ XHP Mine Series

- Excellent extreme-pressure protection and load-carrying ability for equipment protection under heavy and shock loading
- Excellent high-temperature oil bleed control
- Advanced polymer additive package resists water washout



Mobil Centaur™ Moly Grease

- Excellent extreme-pressure protection and load-carrying ability
- Enables extreme-pressure performance retention and protection in severe sliding situations
- Provides exceptional water resistance and corrosion protection



Mobilfluid[™] 424

- Exceptional performance in powertrain transmissions, drive axles, clutches, power take-offs (PTOs) and hydraulic systems
- Enhanced frictional properties help reduce chatter in wet brake and PTO service
- Multipurpose capability provides opportunity for lubricant consolidation

TRIPLE S FUELS



The Highest Fuel Standards

We Care. You Matter. We Deliver!

Those we Serve with The Highest Fuel Standards

Triple S Fuels serves many area companies by distributing branded & non-branded gasoline, plus on-road and off-road diesel fuel. We pride ourselves on unparalleled services to the following industries:

- Construction
- Marinas
- · Concrete & Asphalt
- Farming
- · School Districts
- Trucking

Quarries

- Generators
- Equipment Rental Businesses
- Disposal
- · Government Agencies
- · and Many More

· C-Stores

About Triple S Fuels

Triple S Fuels distributes branded and non-branded gasoline and diesel fuel for both on and off road applications to a wide range of businesses in Texas markets. Our commitment to customer service has given us a reputation for reliability. We believe in going the extra mile to ensure complete customer satisfaction. We strive to meet your needs for both affordable and high-quality fuels. Triple S Fuels always stands behind every product and service, making us your partner of choice. With our employee longevity and family values, we have the people and the experience to serve the fuel needs of your business. We look forward to becoming your full service fuel provider or fuel carrier of choice.











For any of your fuel needs, call toll free: 800-284-2432



Signature CHEMICALS®



GOL 46077300001

Signature Chemicals. All Powerful. All the Time.

Golden West Signature Chemicals offers a full line of powerful aerosol products to meet all your lubrication and cleaning needs. Developed with the most demanding jobs in mind, Signature Chemicals will get the work done fast and to the highest standards. Add the power of these products to your workflow and the value will convince you.














THE ORIGINAL ENGINEERED FUEL



- PRECISION BLENDED READY TO USE
- RELIABLE STARTUP
 BURNS CLEAN
 RUNS CLEAN
- FOR EXTENDED STORAGE CAPABILITIES

AVAILABLE SIZES 32 OZ | 110 OZ | 4.75 GAL | 48 GAL

EMPOWER § EQUIPMENT





Royal Purple's unique blend of additives, such as our proprietary Synerlec® technology, enable Royal Purple products to outperform leading synthetic and conventional lubricants.

www.royalpurple.com



f/royalpurplefans 🐸@royal_purple 🧧royal_purple #royalpurple





Mobil DTE 10 Excel Series


Energy-efficient hydraulic oils



Page 30



Introducing the next generation in energy-efficient productivity.





Get more from your hydraulic machinery than ever before with new Mobil DTE 10 Excel Series. Engineered to better address the lubrication demands of a new generation of high-pressure industrial and mobile equipment, Mobil DTE 10 Excel Series helps lift cleanliness and efficiency to new heights — as it helps lower operating costs. Which adds up to increased productivity.

Surpassing even the standard-setting Mobil DTE 20, Mobil DTE 10M, and Mobil DTE Excel hydraulic oils, known for their long life and keep-clean performance, new Mobil DTE 10 Excel Series is truly the new standard in hydraulic oils. These state-of-the-art, patent-pending lubricants represent the latest in hydraulic fluid technology and can offer great advantages:

- Dramatically increased hydraulic efficiency, up to 6 percent better than standard products Helping reduce energy and fuel consumption, and increase machine productivity.*
- Visibly better system cleanliness For longer productive operation and decreased machine maintenance.

So whether you manufacture plastics components or operate hydraulic-powered excavators or marine equipment, help reduce your power consumption and increase your machine output with Mobil DTE 10 Excel Series — a breakthrough that won't just make your machines run but will help them fly. On less energy, we might add.

^{*} Results are based on a controlled laboratory test and may vary depending on operating conditions.





Developed for Extended Durability and Long-Lasting Performance.

Rain-X[®] Longitude[™] is engineered to perform in inclement weather conditions and withstand the elements, such as UV and ozone exposure, that cause rubber deterioration.

ANATOMY OF THE RAIN-X® LONGITUDE®

Symmetrical Spoiler 3D Air Control System
Minimizes Wind Lift For Optimal
Wipe Performance

Uniclick[™] Adapter System Easy-To-Install Adapter System With Interchangeable Adapters For Maximum Coverage

Tough Aerodynamic End Clips Impact And Slam Resistant with Chamfered Edges



Curvature Optimized —
To Fit And Conform to Windshield

Aerodynamic Spoiler

3 Points To Control The Air Flow

- 1. Air Guidance
- 2. Creation of downforce
- 3. Evacuation of air flow

Manufactured with Industrial-Grade T24.7™ Rubber

Engineered with UV & Ozone Damage-Resistant Rubber With Friction Reduction Coating For All-Weather Performance



ALL-WEATHER PERFORMANCE







WINTER

SPRING/FALL

SUMMER

DYNAMIC OZONE TEST RESULTS

Specimens exposed to 100pphm @ 40°C

IMPROVED DURABILITY*

The Rain-X[®] Longitude™ squeegee is more resistant to cracking compared to a natural rubber squeegee, based on third party testing. This means less streaking and better driving visibility for a smooth, flexible and chatter-free wipe.

NATURAL RUBBER

48 HOURS



LONGITUDE 168 HOURS **NO CRACKING**¹

UNICLICK™ ADAPTER SYSTEM

MILITIPLE SIZES & APPLICATIONS

- Sizes 14" to 28"
- Beam Design provides upgrade from OEM conventional and hybrid applications

VERSATILE ADAPTER SYSTEM

- Intuitive, OE Style adapter system makes switch out a snap
- · Specialty adapters are available to accommodate growing trends in OEM designs, such as the D-PTB & TL11



J-HOOK & PINS



V 1/4" Pin V I&L V PTB P&H V Narrow PTB V I&L Clone Narrow P&H ~ ~ **TOTAL CAR PARK: 99.6%**

V

9x3 Hook

9x4 Hook

ADAPTERS A&B * IHS. November 2020 VIO. 2000-2021

TESTED TO MEET OR EXCEED SAE J903C SPECIFICATIONS

U OМ R M

RAIN-X® IS A REGISTERED TRADEMARK OF ILLINOIS TOOL WORKS, INC. ALL RIGHTS RESERVED

www.rainxlongitude.com

REV.01





One Part, Stable, Chlorine Dioxide Disinfectant Sanitizer

VitalOxide is an EPA registered disinfectant cleaner, mold killer and super effective odor eliminator. Ready to use with no mixing required, just spray, wipe or fog right from the bottle. Non-irritating to the skin and non-corrosive to treated articles.

VitalOxide - One Product, So Many Solutions



Eliminates SARS-CoV (COVID-19)

Listed on US EPA List N: Disinfectants for use against SARS-Cov-2, the cause of COVID-19



Food Contact Sanitizer - NSF Registered (D2) Sanitizer

VitalOxide kills 99.999% of bacteria, including eColi, Salmonella and Listeria in less than 60 seconds, and it's odorless, requires no rinse and doesn't alter the taste of food that has been prepared on sanitized surfaces. (D2)



EPA Registered Disinfectant

Contains no volatile organic compounds (VOCs) and kills a wide range of viruses such as Noro Virus, Feline and Canine coronavirus and bacteria. It doesn't contribute to mutating super bugs.



Mold and Mildew Inhibitor

Inhibits and keeps mold and mildew from growing for up to 4 weeks.



Allergen Eliminator

Proven effective on pet dander, as well as, dust mite and cockroach allergens. Safe to use on pet bedding and sleeping areas.



Odor Eliminator

Eliminates malodors due to smoke, trash, septic systems, stale cooking and more, without using masking agents or fragrances. Neutralizes urine and fecal odors.



HVAC and Air Ducts

Leaves HVAC systems and air ducts free of microbial contamination from bacteria, mold, mildew and other fungi, while ensuring air quality.



Soft Surface Sanitizer

Kills odors and odor causing bacteria on soft surfaces by eliminating the source. Great for upholstery, curtains and auto interiors.

Hosty Carlson Equipment Austin (512) 442-2267 Bryan (979) 778-2747 Killeen (254) 200-1660 Corpus Christi (361) 360-7896 www.hotsycarlson.com

Scan this code for Safety Data Sheet





Available in 4x1-gal., 6x1-qt., 15-gallon or 55-gallon

FOR USE

AGAINST

Buy Bulk For Cost Savings

Ask your Hotsy Distributor how you can arrange to have VitalOxide supplied on a regular monthly schedule. We deliver...it's convenient, dependable and efficient.

SAVE TIME, by having a regular monthly service call!

SAVE MONEY with our low bulk rates!

SAVE the INCONVENIENCE of disposing of empty 55-gallon drums.

THE PRESSURE Commitment to WASHER WITH BENEFITS



You won't find Hotsy at your local home improvement store. Why? Because Hotsy products are ONLY sold through authorized dealers. The equipment you find at Lowe's or Home Depot simply does not compare. When you go with a Hotsy, you're starting a relationship with a partner who "gets" you.

Need Proof? Here are 10 reasons why you should connect with your local dealer:

- Cleaning equipment experts
- Advice in choosing the right products for your needs
- We service what we sell
- Service from factory trained technicians
- On-site operating and safety demonstrations
- Equipment is tested, delivered and installed
- **Excellent warranties**
- **Genuine Hotsy** replacement parts
- Recommended timesaving accessories
- Detergents targeted for your application



Hotsy Carlson Equipment Austin (512) 442-2267 Bryan (979) 778-2747 Killeen (254) 200-1660 Corpus Christi (361) 360-7896

Lowe's' is a registered trademark of LF, LLC. The Home Depot' is a registered trademark of Homer TLC, Inc.

www.hotsycarlson.com



FIND YOUR LOCAL HOTSY DEALER AT HOTSY.COM or call 800.525.1976















San Antonio & South Texas: 800-638-6628

Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Gasoline & Diesel Fuel Filters

Featuring 15 to 30 micron media for high-filtering efficiency.



Gasoline & Diesel Oil Filters

Removes 50% more harmful contaminants than conventional filters.



Air & Cabin Air Filters

Air filters trap harmful particles while allowing fresh air into the engine. Cabin air filters remove airborne contaminants from the passenger cabin.



Oil Drain Plugs & Gaskets

A large assortment for any need in a convenient kit.

32C-06



Serpentine Belts

Meets or exceeds 0.E. performance standards.



Transmission Filters

Superior gasket material for a tight seal.



Hose Clamps & Various Fasteners

Available in various sizes.



Lawn Mower, Motorcycle, Car & Truck Batteries



Maintenance Products



Bulbs and Halogens

An extensive line from simple replacements to high powered upgrades.

















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770



VS7 Oil System Cleaner

Helps synthetic base oils protect vital parts better.

0L105



Transmission Products



GDI Solution Kit



Carb/Choke & Throttle Body Cleaners

A powerful blend of solvents that cuts through varnish, gum and residues.



Power 2

Fuel System and Engine Cleaner Kit

Simple two-step process increases power and performance in gasoline engines.



VS7 Fusion FSC

Total Intake System Cleaner Kit

The ultimate two-step fuel cleaning service.



Power 2D

Total Diesel Intake System Cleaner Kit

Easy two-step process increases power and performance in diesel engines.

SB400

















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040


DFW: 817-590-9770

Cooling System Products



Power Steering Products







Tire Repair & Wheel Tools

Wheel Weights



TPMS Transmitters



Wiper Blades

Superior aerodynamic design and an exceptional fit to the curvature of any windshield.

Available in beam and original styles.



Brake Fluids & Related Products



Brake Pads & Rotors



The perfect fit for every vehicle and driving condition.













San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898

DFW: 817-590-9770

Signature Nitrile Gloves

- Powder-Free
- Non-Sterile
- 5 Mil Thickness
- Single Use Only
- Medium, Large & Extra Large

100 Gloves per box 10 Boxes per case



Color: Black

Microbe Free Solutions Hand Sanitizer

- Hydrating Hand Sanitizer Infused with Aloe
- Non-flammable, non-staining
- Last 6 Hours, or 10 hand washings
- Odorless, Alcohol Free

Packaging	Part Number
1.7 Ounce Foaming Dispenser	C5700.1.7
5 Ounce Foaming Dispenser	C5700.05
1 Gallon Plastic Jug	C5700.1
55 Gallon Barrel	C5700.55



Vital Oxide RTU Professional Grade Disinfectant

99.999% Effective

- Kills many pathogens at a 99.9999% rate
- No Rinse required, safe for pets, children, and food contact surfaces
- Mold and Mildew treated with 7 Month residual Effect.

Packaging	Part Number
Quart Sprayer Bottle	86395600
Gallon	86395580
2.5 Gallon Bag in Box dispenser	C5600.2.5
55 Gallon Barrel	86981120

















Janitorial Supplies

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour
Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 3040 DFW: 817-590-9770

Folded Hand Towels

Available in brown and white.



20204 & 21000-White Multi Fold • 23304-Brown Multi Fold • 23504-Single Fold

Pull-down & Roll Towels

Available in brown and white.



26302-Brown • 26602-White

WypAll Hand Wipes & Shop Cloths

Delivers higher efficiency than cloth rags.

Dispensers available in wall mount and floor mount.



enMotion Hand Wipes

Wave your hand over the sensor and paper automatically dispenses.




Various Bathroom Tissues

Available in premium and economy.



Urinal Blocks & Screens

Helps control odors and keeps the drains free flowing.



Bathroom Fresheners

Available in various scents.

















San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 **Austin & Central Texas: 800-545-4412** Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898

KITCHEN & FLOOR Janitorial Supplies

DFW: 817-590-9770




Kitchen Roll Towels

Tough and absorbent for the biggest spills.



WC5501







Sturdy plastic won't break with normal use.

MOWF-007

Bleach & Bleach Cleansers

Removes the toughest stains and disinfects.



Disinfectant Sprays & Wipes

Cleans while killing bacteria.















KITCHEN & FLOOR Janitorial Supplies

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 Sour
Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898

DFW: 817-590-9770



Steel Wool

Professionally cleans a variety of surfaces.



74016

Mops

Sturdy design for commercial cleaning.



RR1318-18" RR1324-24"

RR1336-36"

RR1348-48"

Brooms & Squeegees

Broom & Mop Handles



Wooden handles for comfort and durability.

85-675

Powdered & Liquid Industrial Floor Cleaners

Protects the concrete from discoloring and makes the floor dirt-repellent and easy to maintain.



General Purpose Cleaners

Cleans with no residue and leaves a long-lasting fragrance.



Pine SOI

04307

35418













Car Wash Supplies & Equipment

San Antonio & South Texas: 800-638-6628 Aus:
Lubbock and Surrounding Area: 800-259-1818

Austin & Central Texas: 800-545-4412 South Texas Gulf Coast: 361-887-9898

Abilene and Surrounding Area: 800-375-3040 DFW: 817-590-9770

Vinyl & Rubber Shines & Protectants

Protects from the harsh elements and provides a like-new appearance to a variety of surfaces.



All-purpose Cleaners

Heavy-duty cleaners for every tough job.



52205

Car Wash Soaps

Highly concentrated, neutral detergent designed for all self service foam generating systems.



Heavy-duty Degreasers

Formulated to clean the toughest soils from a variety of surfaces.















Car Wash Supplies & Equipment

San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818 Austin & Central Texas: 800-545-4412 South

Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 3040 DFW: 817-590-9770

Wheel Cleaners

Chemically lifts dirt, brake dust and road film from wire wheels.



WWT001

Tar & Adhesive Removers


Quickly removes grease and oil from metal parts.



AD0001

Water Sprite Spot-Free Chamois

Soft, highly-absorbent, and leaves no lint behind.





Interior Odor Removers & Scents

Deodorizes and freshens the passenger cabin.



468108PA

2-Ply Windshield Towels

Multi-purpose towels provide for highly-absorbent, streak-free cleaning.



00350

Hand Washing Mitts

Glides smoothly over the vehicle's surface trapping dirt and debris.



MS-1

Detailing Sponges

Absorbent, durable, and great for applying polishes, waxes, sealants and more.



All Purpose Drying Towels

Super absorbent and gentle on surfaces.



12TERRY-Green • 12TERRY-Blue • 12TERRY-Red • 12TERRY-White

Micro Fiber Towels

Super soft and absorbent. 16 x 16. Q: 4 per bag. *Available in blue or green.*



Truck/Car Wash Brushes

Soft nylon bristles remove stubborn dirt and debris without hurting the finish.


















San Antonio & South Texas: 800-638-6628 Lubbock and Surrounding Area: 800-259-1818

Austin & Central Texas: 800-545-4412 Sour Abilene and Surrounding Area: 800-375-3040

South Texas Gulf Coast: 361-887-9898 3040 DFW: 817-590-9770

85600

Car Wash Supplies & Equipment













Detail Cleaning Brushes

A wide selection for every detailing need.





From Filling Stations to Filling the Need for Great Products at Competitive Pricing

The Golden West Brand of products originated as a regional brand in central and south Texas in 1929. Based in San Antonio, Texas, Golden West Oil Company operated a chain of "filling stations" that flew the Golden West flag with street signs displaying the brilliant sun with golden rays against a blue background.

The Ford Smith family of Austin, Texas purchased the lubricant and parts business of Bantham Distributing in 1960, then in 1974 merged with Golden West Oil Company, steadily developing the brand deeper into the Texas market. Golden West was consistently positioned as a quality fighting grade line.

In the 1970s, the Golden West Brand was expanded to include a complete line of lubricant products. As a strongly established regional brand, Golden West is well accepted in automotive, industrial, and agricultural markets.

Today our engine oils proudly display the API and ILSAC seals of approval. The line now includes synthetics, greases, and aerosol chemicals. All these are still offered today as a fighting grade alternative to major brand products.



Product Warranty

LIMITED WARRANTY

Golden West Products Limited Warranty

Golden West Products warrants its products to be free from defects and will replace any product that is defective. For all applications, follow the recommended maintenance and fluid change schedules provided by the manufacturer(s). Golden West Products warrants that all products will perform to their specifications when used in accordance with the proper instructions for use. Products used in applications other than the intended use will not be covered by this warranty.

Golden West Products provides this limited warranty to purchasers who use Golden West products.

If there is equipment failure related to the Golden West product you purchased, Golden West will repair any equipment damage directly caused by a defect or a malfunction of a Golden West product, provided that the product was selected and maintained in accordance with specifications of the original equipment manufacturer or the written instructions (which includes product packaging) of Golden West Products.

To file a claim under this Limited Warranty, you must:

- Upon discovery of the damage (but not later than 6 months from the date the damage occurred)
 call your local Golden West distributor from whom you purchased the product.
- Allow a Golden West representative to examine the equipment and maintenance records and provide proof of purchase to determine the extent of the damage and to confirm that a Golden West product was the cause.
- Allow a Golden West representative to obtain a sample of the product in question for analysis at no cost to you to assist in determining the cause of the equipment failure.

This Limited Warranty excludes:

- Golden West products used in mechanically deficient equipment as a result of abnormal operation, negligence, abuse, damage from casualty, shipment or accident, or equipment modification done without written authorization from the Original Equipment Manufacturer (OEM).
- Situations where the OEM required standards do not match those stated by Golden West without
 written approval from Golden West.
- Golden West products that have been used in conjunction with any other product or additive without written approval from Golden West.
- Failure of equipment due to a pre-existing condition that is unrelated to the use of Golden West products.
- Repair or replacement of equipment due to normal wear.

The remedy provided here will be your only recovery against Golden West Products. You will not be able to recover incidental or consequential damages. Some states do not allow the exclusion of or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

GOLDEN WEST: A COMPLETE LINE OF LUBRICANT PRODUCTS

















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Premium Universal Tractor Fluid

Multifunctional Use in Farm Tractors and Equipment

Benefits

- Lowers operating costs
- Reduces brake chatter and transmission slips
- Minimizes weather and storage concerns
- Extends equipment life

Product Application:

Golden West Premium Universal Tractor Fluid is a high quality, multifunctional tractor hydraulic fluid, specially formulated for use in transmissions, final drives, wet brakes, and hydraulic systems of tractors and other equipment employing a common fluid reservoir.

It is formulated with highly refined base stocks, a viscosity index improver, oxidation and corrosion inhibitors, antiwear and film strength additives, an antifoaming agent, and a pour point depressant.

Golden West Premium Universal Tractor Fluid is recommended for use as a multifunctional fluid in many types of farm tractors and equipment; in non-hypoid GL-4 applications; in applications which call for the following OEM lubricant specifications:

- AGCO: improved power fluid 821XL
- Case Corporation: JIC-143, JIC-145, MS 1206, MS 1207, MS 1209, MS 1210 (TCH)
- Case New Holland: MAT 3525, MAT 3505
- Caterpillar: T0-2
- Ford New Holland: ESN-M2C134-D, FNHA 2, C 201
- International Harvester: B6
- John Deere: J20C
- Kubota: UDT
- Massey Ferguson: M1135, M1141, M1143, M1145
- Minneapolis-Moline: Q-1766, Q-1722, Q-1766B
- Oliver: Q-1705
- Renk Doromat: 874A and 874B











Gol 046077666831 2Gal Gol 046077687478 Pa Gol 046077310550 Dr Bul 046077310215













Lubbock and Surrounding Area: 800-259-1818

Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

TechSYN Full Synthetic dexos1™ Gen 3 GF-6A Motor Oils 0W-20 • 5W-30

API SP/SN/SM/SL/SJ • ILSAC GF-6A

Benefits

- Provides protection conventional oils can't
- Superior protection against normal engine wear
- Outstanding low and high-temperature performance
- Our highest level of protection for thermal and oxidation stability
- Formulated for extreme driving conditions
- Outperforms conventional and synthetic blends
- ILSAC GF-6A Resource Conserving



Product Application:

Golden West Signature TechSYN dexos1™ Gen 2 Motor Oil is a fully synthetic, top-tier, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of today's and tomorrow's engines. It meets API SP, which is required for 2012 and later engines. Synthetic base oils combine with carefully selected additive packages to provide maximum protection against wear, rust, corrosion, oxidative thickening, acid formation, sludge, and varnish. This formulation helps improve fuel economy and performance in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85.

TechSYN Full Synthetic dexos1™ Gen 2 Motor Oil is a licensed GM dexos1™ Gen 2 product. Meets or exceeds API Service Category SP, SN Plus, SN, SM, , and ILSAC GF-6A requirements. Meets Toyota and Mazda specifications, and Honda service fill specifications.

Meets or exceeds specification requirements, including:

- GM 6094M
- Toyota
- Mazda
- Honda (Service fill)
- GM dexos1[™] Gen 2
 Ford WSS-M2C962-A1 (0W-20)
 - Ford WSS-M2C961-A1 (5W-30)
 - Chrysler MS-6395









0W-20 GOL 850011903148 Box GOL 046077311526 Dr BUL 033322000398 5W-30 GOL 850011903155 Box GOL 046077311540 Dr BUL 046077311533















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

TechSYN Full Synthetic 5W-40 Motor Oil Advanced European Car Formula

API SN • ACEA A3/B4

Benefits

- Keeps engines cleaner
- Provides protection conventional oils can't
- Meets extended drain requirements of premium European vehicles
- Won't break down under extreme temperatures
- Superior protection against normal engine wear
- Outperforms conventional motor oil in high-temperature service
- Provides outstanding thermal and oxidation stability

Product Application:

Golden West Signature TechSYN SAE 5W-40 Full Synthetic Motor Oil is an ultra-premium quality, high detergent automotive engine oil specially formulated to meet the stringent lubrication requirements of advanced European gasoline-powered cars and light trucks. Meets or exceeds the requirements of API SN and ACEA A3/B4.

Signature Lubricants TechSYN SAE 5W-40 full-synthetic motor oil meets or exceeds performance requirements, including:

- ACEA A3/B3
- ACEA A3/B4
- BMW LL-01
- Mercedes-Benz 226.5
- Mercedes-Benz 229.3
- Mercedes-Benz 229.5
- Porsche A40
- PSA B71 2296
- Renault 0710
- Renault 0700
- Opel GM-LL-B-025
- Volkswagen VW502 00



GOL 033322000410 Box

TechSYN Full Synthetic OW-16 ULV Motor Oil

API SP/SN Plus/SN • ILSAC GF-6B

Benefits

- Provides protection conventional oils can't
- Won't break down under extreme temperatures
- Superior protection against normal engine wear

Product Application:

Signature Lubricants TechSYN 0W-16 is a premium, ultra-low viscosity motor oil. This high-performance formulation helps improve fuel economy in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85. SAE 0W-16 viscosity only belongs in engines designed to use 0W-16 motor oil. Meets the performance requirements of Toyota and Honda. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- Toyota
- Honda





GOL 033322000168 Box















Lubbock and Surrounding Area: 800-259-1818

Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

SYN Blend Semi Synthetic Motor Oil 5w-20 • 5w-30 • 10w-30

API SP/SN Plus/SN/SM • ILSAC GF-6A

Benefits

- · Provides enhanced piston cleanliness
- Provides increased emission protection
- Superior protection against normal engine wear

Product Application:

Golden West Signature SYN Blend Semi-synthetic is a premium, high-detergent motor oil. This formulation helps improve fuel economy and performance in gasoline engines — includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- GM 6094M
- Ford WSS-M2C960-A1 (5W20)
- Ford WSS-M2C961-A1 (5W30)
- FCA/Chrysler MS-6395
- Toyota
- Mazda
- · Honda (Service fill)



SYN Blend 5W-20 GOL 033322000380 Box SYN Blend 5W-30 GOL 033322000373 Box SYN Blend 10W-30 GOL 0333220003335 Box

High Mileage Premium GF-6A Motor Oils 5W-20 • 5W-30

API SP/SN Plus/SN/SM • ILSAC GF-6A

Benefits

- · Provides enhanced piston protection
- Provides increased emission protection
- Superior protection against normal engine wear
- ILSAC GF-6A Resource Conserving

Product Application:

Golden West Signature High Mileage Premium GF-6A is a premium, high-detergent motor oil. This formulation helps improve fuel economy and performance in gasoline engines. Includes emission system, frequent restart, LSPI, timing chain, and turbocharger protection. Adds protection for engines running on ethanol fuels up to E85. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- GM 6094M
- Ford WSS-M2C960-A1 (5W20)
- Ford WSS-M2C961-A1 (5W30)
- FCA/Chrysler MS-6395
- Tovota
- Mazda
- Honda (Service fill)





5W-20 GOL 033322000359 Box 5W-30 GOL 033322000342 Box















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

TechSYN Full Synthetic 5W-40 Diesel Engine Oil

API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4/SN • ACEA E9/E7

Benefits

- Outstanding low-temperature properties help speed cold starts
- · Protects emission control systems
- Outstanding oxidation stability

Product Application:
Golden West Signature 5W-40
full-synthetic is a premium
diesel engine oil., designed
for the most demanding
applications. Follow
manufacturer's
recommendations for
viscosity grade and
API service category.

Meets or exceeds specification requirements, including:

- Caterpillar ECF-3
- Caterpillar ECF-2
- Cummins CES 20086
- Cummins CES 20081
- Daimler MB 228.31
- Detroit[™] DFS 93K222
- Detroit[™] DFS 93K218
- Ford WSS-M2C171-F1
- Mack EOS-4.5
- EO-N , EO-O Premium Plus
- MAN M3575
- MTU Category 2.1
- Renault RLD-4, RLD-3
- Volvo VDS-4.5, VDS-4, VDS-3





GOL 033322000410 Box

SYN Blend Semi Synthetic 15W-40 Diesel Engine Oil

API CK-4/CJ-4/CI-4 Plus/CI-4/CH-4/SN • ACEA E9/E7

Benefits

- Outstanding low-temperature properties help speed cold starts
- Protects emission control systems
- · Outstanding oxidation stability

Product Application:

Golden West Signature 15W-40 semi-synthetic is a premium diesel engine oil with excellent lubrication properties. Follow manufacturer's recommendations for viscosity grade and API service category.

Meets or exceeds specification requirements, including:

- Caterpillar ECF-3
- Caterpillar ECF-2
- Cummins CES 20086
- Cummins CES 20081
- Daimler MB 228.31
- Detroit[™] DFS 93K222
- Detroit[™] DFS 93K218
- Ford WSS-M2C171-F1
- Mack EOS-4.5
- EO-N, EO-O Premium Plus
- MAN M3575
- MTU Category 2.1
- Renault RLD-4, RLD-3
- Volvo VDS-4.5, VDS-4, VDS-3













GOL 046077687515 Csq GOL 046077687522N Csg GOL 033322000328 Box GOL 046077310574 Dr BUL 046077410114















Lubbock and Surrounding Area: 800-259-1818

Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Full Synthetic Multi-Vehicle ATF Automatic Transmission Fluid

For automatic transmissions requiring Mercon®/Mercon® V/Dexron®-III/ATF+3/TF+4

Benefits

- Improved oxidation and thermal stability
- Full synthetic formula
- Outstanding low-temperature performance
- Superior anti-wear protection
- Improved torque transfer
- Applications include nearly all car and light truck applications

Product Application:

Golden West Signature Full Synthetic Multi-Vehicle ATF represents the latest technology in full synthetic automatic transmission fluids. It is specifically formulated for the newest generation of high-efficiency transmissions and is also a fuel-efficient choice for older models.

Golden West Signature Full Synthetic Multi-Vehicle ATF is recommended for a wide range of passenger cars and light-duty trucks, including GM, Ford, Toyota, Honda/Acura, Nissan/Infiniti, Hyundai/Kia/Mitsubishi, Mazda, Subaru, and Volkswagen. Check the owner's manual for specific recommendations.

For automatic transmissions requiring:

- JASO M315-2013 1A-LV GM
- Ford
- Chrysler
- Toyota/Lexus/Scion (T-III, IV, WS)
- Honda/Acura (ATF Z-1, DW-1)
- Nissan/Infinity (Matic D, J, K, S, W)
- Hyundai/KIA (SP-II, III, IV, Red-1K)
- Isuzu (SCS, ATF II, III)
- Mazda (F-1, FZ, M-III, T-IV, MV)
- Mitsubishi (Diamond SP, II, III, ATF J2, J3)




GOL 033322000311 Box

• BMW (LA2634, LT71141)

Mercedes-Benz (236.10, 236.15, 236.3, 236.5, 236.7, 236.9)

Volkswagen/Audi (09A, 09G)

Scan this QR code to download the Golden West Signature TechSYN Full Synthetic Multi-Vehicle ATF Application Guide.

















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818 Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Global Antifreeze and Summer Coolant

Available as Concentrate and 50/50 Blend

Benefits

- Formulated for use in all American, Asian, and European automobiles
- Features a patented non-2-EH formula that is phosphate-free and silicate-free
- Amber color will not change the current antifreeze color when used for topping off
- Meets ASTM D-3306 + ASTM D-4340

Product Application:

Golden West Global Antifreeze and Summer Coolant features a patented advanced organic acid technology. Golden West Global Antifreeze and Summer Coolant contains inhibitors that provide maximum protection from freezing to -84°F and boil-over to +276°F. Its patented formula protects all metals, including aluminum, against damaging rust and corrosion when used as recommended.

Meets or exceeds specification requirements, including:

- ANFOR R 15-601
- BS 6580 (British Standard)
- Chrysler MS7170
- Chrysler MS9769
- Ford ESE-M97B44-A
- Ford WSS-M97B51-A1
- FVV HEFT R443 (Germany
- G.M. 6277M
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz DBL 7700







Concentrate
AFZ 046077555562 Csg
AFZ 046077555579 Dr
50/50 Blend
AFZ 046077687225 Csg
AFZ 046071000037 Dr

ELC Global Antifreeze and Summer Coolant

Extended Life Coolant • Available as Concentrate and 50/50 Blend

Benefits

- Formulated for use in all American, Asian, and European automobiles
- Features a patented non-2-EH formula that is phosphate-free and silicate-free
- Amber color will not change the current antifreeze color when used for topping off
- Meets ASTM D-3306 + ASTM D-4340

Product Application:

Golden West Global ELC Antifreeze and Summer Coolant features a patented advanced organic acid technology. Golden West Global Antifreeze and Summer Coolant contains inhibitors that provide maximum protection from freezing to -84°F and boil-over to +276°F. Its patented formula protects all metals, including aluminum, against damaging rust and corrosion when used as recommended.

Meets or exceeds specification requirements, including:

- ANFOR R 15-601
- BS 6580 (British Standard)
- Chrysler MS7170
- Chrysler MS9769
- Ford ESE-M97B44-A
- Ford WSS-M97B51-A1
- FVV HEFT R443 (Germany)
- G.M. 6277M
- JASO M325 (Japan)
- JIS K 2234 (Japan)
- SAE J1034
- Mercedes Benz DBL 7700





Concentrate
AFZ 046077111333 Dr
50/50 Blend
AFZ 046077111222 Dr















Lubbock and Surrounding Area: 800-259-1818

Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

DIII/M Automatic Transmission Fluid

Former Dexron III/Mercon H specification

Benefits

- Excellent low temp. fluidity for good cold-start shifting
- Resists foaming
- Oxidation and thermal stability for long life
- Protection against rust, corrosion, and wear
- Multiple approvals for lower inventory requirements
- Compatible with all transmission seal material

Product Application:

Golden West DIII/M Automatic Transmission Fluid is compounded with modern additive technology for use in older Ford and General Motors vehicles, plus many foreign vehicles requiring DEXRON®-III or Mercon.® Recommended for use in all 2005 and earlier GM automatic transmissions. Recommended for 1981 and later Fords (except those requiring Type F, MERCON® V, MERCON® SP, MERCON® LV or MERCON® ULV).

Not for use where DEXRON®-VI, DEXRON®-HP, Type F, MERCON® V, MERCON® SP, MERCON® LV, or MERCON® ULV is required. Not for use in Continuously Variable Transmissions (CVT) or Dual Clutch Transmissions (DCT).

Meets or exceeds specification requirements, including:

- Detroit Diesel Allison C-3
- Detroit Diesel Allison C-4
- Caterpillar TO-2
- Ford late model C-4
- Ford late model C-5
- Ford ESP-M2C138-CJ
- Ford ESP-M2C166-H













GOL 046077687355 Csq GOL 046077687362 Pa GOL 046077311144 Kg GOL 046077310857 Dr BUL 046077410145

Synthetic Trans-Fluid 50

Full Synthetic Multi-Vehicle

Product Application:

Golden West Synthetic Trans-Fluid 50 was developed specifically for long-life use in heavy-duty manual transmissions which specify a premium quality non-E.P. oil. Golden West Synthetic Trans-Fluid 50 matches the requirements set by Eaton and Rockwell for 250,000mile extended drain intervals. Meets TO-4 application.











GOL 046077687416 Pa GOL 046077687423 Kg GOL 046077687409 Dr BUL 046077310413

Non-Detergent Motor Oil

SAE 30W

Product Application:

Non-Detergent is a pale oil is a low-cost add-on product for 1950 and older automobile engines requiring "SA" specification oil. Can also be used in lawnmower engines.





GOL 046077111195 Csq















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Full Synthetic Gear Oils

SAE 75W-90 and SAE 75W-140 • API GL-5/MT-1

Product Application:

Golden West Full Synthetic Gear Oil is a 100% synthetic, multi-grade, heavy-duty gear lubricant designed to meet the service demands of a commercial fleet's manual transmissions, axles, and drive units, plus the added advantage of improved fuel economy, extended drain capabilities, and all-season use even at sub-zero temperatures. Golden West Gear Oils are fortified with additives to prevent rust and corrosion and meet limited-slip specifications. Regardless of the LS specification, check to be sure of the manufacturer's limited-slip requirements for OE additives.

May be used in applications calling for:

- API GL-5
- Mack GO-J Plus (75W-90)
- API MT-1
- Mack G0-J (75W-140)
- SAE J2360

Also suitable for use where the following specifications are recommended:

- Eaton PS-163
- Eaton PS-037
- Eaton PS-109
- General Electric D50E9C
- Harnishfeger (P&H) 474
- Mack Truck GO-J Plus
- Mack Truck GO-J
- Meritor Automotive, Inc. (formerly Rockwell International) 0-76-E (petrol)
- Meritor Automotive, Inc. 0-76-N (syn)
- MIL-PRF-2105E
- Navistar TMS 6816
- U.S. Steel Specifications 224
- AGMA Standard 250.03















75W-90 GOL 046077687249 Csq GOL 046077687256 Pa GOL 046077687263 Kg GOL 046077687270 Dr BUL 046077310239

75W-140 GOL 046077687287 Csq GOL 046077689294 Pa GOL 046077687300 Kg GOL 046077687317 Dr BUL 046077310246

Gear Oil 80W 90LS

Extreme Pressure Gear Lubricant

Product Application:

Golden West Gear Oil 80W 90LS is a multipurpose, heavy-duty, extreme pressure gear lubricant recommended for enclosed gear cases. Gear Oil 80W 90LS can be applied in a full refill or top-off of Limited Slip Differentials. Please note that there could be instances when axle chatter may be present, and if this occurs, it is recommended to add at least 4oz. of aftermarket slip additive. Regardless of the LS specification, check to be sure of the manufacturer's limitedslip requirements for OE additives.














GOL 046077666701 Csq GOL 046076000216 Pa GOL 046077311182 Kg GOL 046077310826 Dr BUL 046077310260

Gear Oil 85W-140

API GL-5

Product Application:

Golden West Gear Oils are formulated from the finest base oils and premium additive packages. All feature extreme pressure properties, resist wear, and have excellent oxidation stability. This gear oil is in compliance with all manufacturers' specifications and is recommended for severe service. Regardless of the LS specification, check to be sure of the manufacturer's limited-slip requirements for OE additives.











GOL 046077555265 Pa GOL 046077311199 Kg GOL 046077310833 Dr BUL 046077310277















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Hi-Temp Red Grease

NLGI GC-LB

Product Application:

Golden West Hi-Temp Red Grease is an NLGI 2 grade premium quality extreme pressure lithium complex multi-purpose grease. This product has outstanding high-temperature characteristics. The dropping point of this product exceeds 500°F.

Recommended for fleets and heavy-duty applications, including wheel bearings (disc and drum brakes).







GOL 076569000027 10pk GOL 046077311137 Pa GOL 046077311229 Kg

Lithium Grease #2

Multi-Purpose • NLGI 2 Grade

Product Application:

Golden West Multi-Purpose Lithium Grease #2 is an amber-colored, NLGI 2 grade lithium stearate-based grease with rust and oxidation inhibitors. It has good stability, water resistance, and softening resistance at high operating temperatures.

Golden West Multi-Purpose Lithium Grease #2 is recommended for general automotive chassis lubrication points, ball joints, and universal joints, plus general farm and light industrial lubrication applications. It is compatible with other lithium greases but is not recommended for disc-type wheel bearings.









GOL 076568036676 10pk GOL 046077311120 Pa GOL 046077311212 Kg

Heavy-duty DOT 3 Brake Fluid

Fully Compatible with All DOT 3 Fluids

Product Application:

Golden West Heavy-duty Brake Fluid is a fully approved DOT 3 type motor vehicle brake fluid suitable for use in all vehicles where DOT 3 fluids are recommended. Suitable for use on both disc and drum brake systems and fully compatible with all DOT 3 fluids.

Meets or exceeds the requirements of DOT 3 Motor Vehicle Standard No. 571.116 and SAE J1703 and ISO 4925.







GOL 039881100103 12oz GOL 039881100387 Csq

Power Steering Fluid

Helps Maintain System Perfomance

Product Application:

Golden West Power Steering Fluid is blended with high-quality base oils and a balanced additive package to maintain efficiency and performance in power steering systems. It helps prevent leakage, squealing, corrosion, oxidation, and wear. Golden West Power Steering Fluid will not clog or foam and can be used year-round.

** Not for electric power steering systems







GOL 039881100172 12oz GOL 039881101179 Csq















Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Lubbock and Surrounding Area: 800-259-1818

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Anti-wear Hydraulic Oil

ISO Grades 32, 46, & 68

Product Application:

Golden West Premium Anti Wear Hydraulic oils are blended of High VI solvent neutral base stocks. These stocks provide excellent temperature extremes protection. Additive packages contain, anti-wear, anti-foam, rust inhibitors, and anti-oxidation agents. This Lubrizol additive package also contains seals-well ingredients to keep seals tight.









5/1 55/1 BULK ISO Grade 32 GOL 046077555159 Pa

GOL 046077310673 Dr BUL 046077410168 ISO Grade 46

GOL 046076000278 Pa GOL 046077310628 Dr

BUL 046077410175 ISO Grade 68 GOL 046076000285 Pa GOL 046077310635 Dr BUL 046077410182

Safety Solvent

Cleans Oil-Contaminated Surfaces

Product Application:

Golden West Safety Solvent is recommended for general cleaning of petroleum-based contaminated surfaces. This product has a high flash point of 142°F. Other uses include part washer fluid.









GOL 046074000010 Pa GOL 046077310734 Dr BUL 046077310406

Cotton Spray Oil

Reduces Static, Dust, and Rust

Product Application:

This paraffinic and naphthalenic base product is blended with pine oil and oil of citronella to provide a quality spray oil. Cotton Spray Oil is used to reduce static electricity, suppress dust, and prevent rust when coming in contact with metal. Cotton Spray Oil does not leave stains on cotton.







GOL 046077311403 Pa GOL 046077311410 Dr















Lubbock and Surrounding Area: 800-259-1818

Austin & Central Texas: 800-545-4412

South Texas Gulf Coast: 361-887-9898

Abilene and Surrounding Area: 800-375-3040

DFW: 817-590-9770

Brake & Parts Cleaner

Non-Chlorinated

Product Application:


This highly concentrated solvent blend provides maximum performance in a brake parts cleaner without the use of ozone-depleting chlorinated solvents. Powerful blasting spray easily removes brake fluid, grease, oily dirt, and contaminants from linings, pads, drums, cylinders, and springs without disassembling the unit.

Health Hazard Data: Vapors from this product may travel or be moved by air currents and ignited by pilot lights, other flames, smoking, sparks, heaters, electrical equipment, static discharge, or other ignition sources at locations distant from point of product use. Adequate ventilation must be provided during use. Waste oil contaminated with this product poses a flammability hazard.

Contains petroleum distillates. Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call a physician immediately. Vapor harmful. Use with adequate ventilation. Avoid prolonged or repeated breathing of vapors. Extremely flammable. Do not use near fire, flame, or while smoking. Contents under pressure. Do not puncture or incinerate the container. Do not expose to heat or store at temperatures in excess of 120°F. KEEP OUT OF REACH OF CHILDREN.

Spill Or Leakage Procedures: Aerosol cans when vented to atmospheric pressure through normal use pose no disposal hazard. Do not flush to sewer. Absorb with suitable media.







THE FULL LINE OF RAIN•X PRODUCTS



ASTREAK FREE COLLING LANGE STREAK FREE COLLING TO THE COLLING TO THE COLLING TO THE COLLING THE COLLIN

PEAK Windshield Wash keeps your windshield clean and clear and it meets a wide range of temperature needs. The conventional blue formulation powers through windshield dirt and grime, leaving behind a streak-free shine. It is safe to use in any vehicle and to use full strength with no mixing required.

- Available in 0º F and 20º F to meet your temperature needs
- Powers through windshield dirt and grime
- Safe to use in any vehicle
- Use full strength no mixing required





Performance by **ExconMobil**

Simplify your grease lubrication program

How to find and eliminate sources of complexity



Where do you find complexity?

Complexity appears in many forms in a grease program, all of which could be impacting your costs, productivity, and

equipment efficiency. Below are some common examples of where it shows up.

Too many greases

- Risk of using the wrong grease for a particular piece of equipment increases
- Product mixing leads to unplanned compatibility experiments

Storage and handling

- Inefficient inventory practices drive up cost on the shelf
- Labeling challenges are caused by multiple brands, and too many products lead to misuse

Right-size your grease program

Eliminating complexity from each of these categories can reduce downtime and increase productivity.

Over-greasing or under-greasing

- Too much grease can damage seals and cause excess heat
- Too little grease can cause lubricant starvation
- Both stem from lack of training and clarity in a grease program

Multiple vendors

- Makes purchasing processes inefficient and complicated
- Conflicting product and use recommendations cause unnecessary confusion

Our grease experts can help

Ask your ExxonMobil representative or Authorized Distributor to perform a lubrication assessment to uncover opportunities to simplify your grease program.

Heavy-duty engine oils for today's low-emission engines

Discover what Mobil Delvac-branded lubricants can do for your fleet. Contact your ExxonMobil distributor today or visit **MobilDelvac.com** for more information.

ExonMobil

The Mobil Delvac" family of heavy-duty diesel engine oils provides performance and protection that can help extend engine life.

Key benefits:

- Dependability that comes with extreme-temperature performance and outstanding protection against engine wear
- Efficiency and cost savings from improved fuel economy potential and extended oil drain interval capability

Plus, Mobil Delvac products fit a variety of applications. No matter what's in your fleet, Mobil Delvac lubricants can provide the protection you need.



Choose the best protection for your vehicle	Advanced wear protection	Enhanced oxidation stability	Extended drain capability	Emissions system protection	Low- temperature start-up	Fuel economy potential
Mobil Delvac 1™ ESP 5W-40	**	**	***	**	***	*
Mobil Delvac™ Extreme FE 10W-30	**	***	***	**	**	**1
Mobil Delvac™ Extreme 10W-30	**	***	***	**	**	*
Mobil Delvac Extreme 15W-40	**	***	***	**	*	
Mobil Delvac™ Super FE 10W-30	**	**	**	**	**	**1
Mobil Delvac™ 1300 Super 10W-30	**	**	**	**	**	*
Mobil Delvac 1300 Super 15W-40	**	**	**	**	*	

The number of stars indicates relative performance level.

Get ahead of the curve and switch to low-viscosity products



Performance by **E**xonMobil

5 reasons to upgrade now

- 1. Increase your bottom line
 Low-viscosity lubricants can help engines run more efficiently –
 reducing fuel consumption and saving you money.
- 2. Meet the latest emissions standards Low-viscosity lubricants contribute to the EPA's greenhouse gas reduction strategy and are designed to meet the latest API heavy-duty diesel engine oil category standards.
- 3. Align with industry leaders

 Many industry-leading companies like Schneider, Dot

 Transportation and Pride Transport already use low-viscosity lubricants to achieve their sustainability and financial goals.

4. Meet OEM recommendations

Major original equipment manufacturers (OEMs) – including Detroit, PACCAR, Volvo and Mack – continue to expand their use of low-viscosity oils for factory and service fills.*

5. Take advantage of ExxonMobil expertise
Technically knowledgeable and experienced ExxonMobil reps
and distributors can help you and your fleet effectively
transition to low-viscosity lubricants and help maximize fuel
economy benefits.




How do the API specifications impact Mobil Delvac™ products?

Better efficiency and protection

- Mobil Delvac heavy-duty diesel engine oils deliver even more wear protection than past formulations.
- API FA-4 formulations have undergone extensive testing to help deliver enhanced fuel economy benefits.
- API CK-4 formulations offer an increase in fuel economy potential when using lower viscosity 10W-30 oils.[†]



 * Consult individual OEM recommendations for allowable use of API FA-4 oils.



Learn more about what Mobil Delvac-branded lubricants can do for your fleet. Contact your ExxonMobil distributor today or visit **MobilDelvac.com** for more information.



Mobil Delvac™ 1300 Super

Run your business with confidence

In the new era of API CK-4, Mobil Delvac 1300 Super heavy-duty diesel engine oil delivers advanced heavy-duty protection for both gas and diesel engines.

With its cutting-edge performance and long engine life capabilities, you can rest assured that Mobil Delvac 1300 Super heavy-duty diesel engine oil will give your trucks the protection they deserve for the road ahead.

Key benefits:

- Excellent antiwear protection
- Outstanding high-temperature performance
- Outstanding oxidation stability
- Excellent soot and viscosity control
- Potential to improve fuel economy¹ (Mobil Delvac 1300 Super 10W-30)



For more than just diesel engines

Mobil Delvac 1300 Super heavy-duty diesel engine oil diesel engines requiring CK-4.



Helps keep engines running strong:

Mobil Delvac 1300 Super heavy-duty diesel engine oil provides superb oxidation stability, exceptional soot and viscosity control, and excellent oil consumption control. That translates into:

- Extended ODI capability and reduction of low-temperature sludge buildup and high-temperature deposits
- Greater engine efficiency, long engine life, and long oil life
- Lower oil costs due to less makeup oil during operation

More protection to help maximize engine life

- 50% more wear protection than required in API CK-4 engine tests
- Extended ODI potential up to 1.5x the average OEM ODI recommendation3





Relative to conventional 15W-40 engine oil. Actual fuel economy improvement is dependent on vehicle/equipment type, outside temperature, driving conditions, and your current fluid viscosity.

² See limited warranty for full details.
³ Average OEM ODI recommendation based on recommended Oil Drain Intervals from major U.S. engine manufacturers using API CJ-4 oils for a variety of service severity levels and engine models. Average OEM API CJ-4 ODI recommendation to substantiate multiplier claims is 31,750 miles. Results may vary based on vehicle/engine condition, driving and environmental conditions. Consult OEM or ExxonMobil before implementing extended ODIs, especially if the equipment/vehicle is under the OEM's warranty.




Performance by ExonMobil

Tested and proven.

Our 10W-30 beat their 15W-40.

Mobil Delvac 1300 Super 10W-30 vs. Chevron Delo 400 SDE 15W-40




Based on results from Cummins ISM Crosshead Weight Loss, mg compared to API CJ-4 maximum wear level.

Our advances in lubricant technology have enabled significant enhancements in wear protection. Mobil Delvac 1300 Super delivers:

- The fuel economy potential of a 10W-30
- The enhanced wear protection of a 15W-40

Putting more wear protection in every bottle. Mobil Delvac 1300 Super vs. Shell Rotella T5





Based on average value from a series of eight API CK-4 industry wear tests

Why pay more for an engine oil that provides less wear protection? Mobil Delvac 1300 Super provides:

- More wear protection than our competitors' synthetic blends
- Up to 50% more wear protection than required in API CK-4 engine tests

A quick help guide Fuel economy and fuel-efficient lubricants Fuel is a leading operating cost for fleets, yet only 35% of fuel's energy is used to move a truck. That's because half of fuel's energy is lost as heat and another 15% is lost as friction. Although friction cannot be completely eliminated, there are ways to reduce friction losses to help increase fuel economy. Distribution of fuel energy 50% Frick movement 15% Friction

Meets or exceeds the	15W-40	10W-30
requirements of:		
API CK-4, CJ-4, CI-4 PLUS, CI-4, CH-4/SN	✓	✓
ACEA E9, E7	\checkmark	\checkmark
Caterpillar ECF-3	✓	\checkmark
Cummins CES 20086, 20081	\checkmark	\checkmark
Isuzu DEO (w/DPD- equipped vehicles)	✓	✓
JASO DH-2	\checkmark	\checkmark
MAN M 3275-1	\checkmark	
Approved by the following OEMs:	15W-40	10W-30
	15W-40 ✓	10W-30 ✓
following OEMs: Detroit Fluids Specification		
following OEMs: Detroit Fluids Specification 93K222, 93K218		
Detroit Fluids Specification 93K222, 93K218 Deutz DQC II-10 LA Mack EOS-4.5, EO-O		
Detroit Fluids Specification 93K222, 93K218 Deutz DQC II-10 LA Mack EOS-4.5, EO-O Premium Plus	√ √ √	✓ ✓ ✓
Detroit Fluids Specification 93K222, 93K218 Deutz DQC II-10 LA Mack EOS-4.5, EO-O Premium Plus MB-Approval 228.31	✓ ✓ ✓	✓ ✓ ✓

"Consult individual LISH recommendations for all valvable use of API A—a cit.

Chrompared to a Tise E 15V/40 engine A Castual savings are dependent on valval failing in type,
outside imprantum, driving conditions and your current engine of viscosity.

DO 2017 Excendible All trademarks used herein are trademarks or registered trademarks of Excon Mobil Corporation or one or
its subsidiaries. NASCAR® is a registered trademark of the National Association for Stock Car Auto Racing, Inc. Other trademark
shown are propriety of their respective connects.








Mobil SHC industrial lubricants — better for your machines, better for your business.

Protect your equipment, ensure productivity.



Mobil SHC synthetics last up to 8 times longer than mineral oils by providing excellent high-temperature stability and oxidation resistance while maintaining viscosity in extreme temperature conditions.

As the complexity of machinery increases, so do the demands made upon your lubricant. Mobil SHC lubricants can better address these demands as compared to mineral oils. With your equipment being a vital asset, it makes good business sense to protect it, and prolong its life, as best as possible. Mobil SHC, Mobil's premier line of scientifically engineered synthetic performance oils, helps provide better equipment protection, extends oil life, and enables problem-free operation. Supported by an advanced used-oil analysis program, Mobil SHC lubricants stay on the job up to 8 times longer — and by increasing productivity, they help increase profitability.

Benefit from synthetic performance lubricants pioneered by Mobil.

For more than 40 years, Mobil has been a leader in developing synthetic-performance lubricants — offering innovations beyond the capabilities of conventional oils. When conditions are severe, such as extremely high and low temperatures, heavy loads, and high or low speeds, Mobil SHC lubricants — engineered with tailored properties — provide distinct advantages, helping to extend the service life of machine components and reducing oil changes, as well as potentially reducing or eliminating equipment failure and unscheduled shutdowns. Plus, in most operating conditions, Mobil SHC offers an extended drain interval over mineral oils for added peace of mind.

The Mobil advantage: lubricating productivity.

Severe conditions, extreme temperatures, loads and pressures, moisture, excessive oil feeds, contamination — these all affect your machinery. Mobil SHC lubricants are designed with these factors in mind, whether for your gears, compressors, or bearings.

Extended oil life — Mobil SHC lasts up to 8 times longer than mineral oils providing excellent high-temperature stability and oxidation resistance.

Extended equipment life — Mobil SHC protects your capital investment against rust, corrosion and wear. Stability in extreme temperature conditions.

Reduced energy consumption — Mobil SHC can reduce power consumption up to 8 percent compared to mineral oils in some gearbox applications.

More productivity, more profitability — Mobil SHC can potentially lower the cost of operations, increase efficiency, and put profitability on an upward path.

Backed by equipment builders worldwide

— Mobil SHC is endorsed for use in over 5,800 applications by more than 1,100 major equipment builders around the world.

Applying Mobil SHC to your industry.

From power generation to general manufacturing, forest products to cement, steel to construction, every industry can utilize and benefit from Mobil SHC — with lubricants tailored for hundreds of applications — to ensure trouble-free operation.

More than a lubricant: a business tool.

There is no question that optimum lubrication can help significantly improve productivity and reduce maintenance costs. Despite higher purchasing costs, the correct application of synthetics can make good economic sense when you consider the benefits of Mobil SHC lubricants against other lubricant choices. With your oil cost accounting for only a small percentage of your total maintenance cost, investing in Mobil SHC can help reduce your overall maintenance budget.

So rely on Mobil SHC to help your machinery produce more, better, faster, with more uptime and greater efficiency. Discover how Mobil SHC can help you cut down on your manpower costs, drive up your productivity — and help your business soar.





HEAVY DUTY COOLANT & ANTIFREEZE

PROVEN PROTECTION FOR THE LONG HAUL



	FULLY Formulated		NOAT	EXTENDED LIFE COOLANT		
	DI ANTALIA DI ANTALIA DI TIMONO DI LI		FINAL CHARGE STANLIS ST	ELC NF	FINAL LIANGE MECONIL STRATE STR	
NAME	SCA PRECHARGED	HYBRID BLUE	FINAL CHARGE NOAT	ELC NF	FINAL CHARGE GLOBAL	
TECHNOLOGY	CONVENTIONAL	HOAT 2-EHA FREE	2-EHA	OAT 2-EHA	2-EHA FREE	
COLOR	FUCHSIA	BLUE	RED	RED	RED	
BASE	ETHYLENE GLYCOL	ETHYLENE GLYCOL	ETHYLENE GLYCOL	ETHYLENE GLYCOL	ETHYLENE GLYCOL	
NITRITED	YES	YES	YES	NO	NO	
SILICATES	LOW SILICATE	LOW SILICATE	NO	NO	NO	
SERVICE LIFE	LIFETIME*	LIFETIME*	750,000 MILES	600,000 MILES	1,000,000 MILES	
SCE / EXTENDER	EA. 30K MILES	EA. 150K MILES	NONE	NONE	NONE	
ON / OFF ROAD	ON / OFF	ON / OFF	ON / OFF	ON	ON / OFF	





WARNING: Laundered Shop Towels May Contain Toxic Heavy Metals.

Switch to WYPALL* Wipers: A Safe, Cost-effective Alternative to Laundered Shop Towels.

WYPALL* Wipers are tough on workplace messes, convenient to use, and safely disposable. That means every time your employee grabs a wiper, you don't have to worry about the possibility of heavy-metal exposure.

With WYPALL* Wipers you get a consistent size, shape and cleanliness with each towel. Our wipers are engineered to feel like cloth but work better.

- Absorbs oil and water faster, pound for pound, than laundered shop towels
- No holes, strings, metal chips, or metal residues like laundered shop towels
- Reusable, durable, and maintains strength in solvents



Recent studies highlight the danger. Shop towels go back and forth from the laundry to a variety of industries, where they could pick up toxic heavy metals and retain them even after laundering.

WYPALL* X90 Cloths absorb both water and oil faster than laundered shop towels





Average results reported. Results for laundered shop towels based on random sample from across continental U.S.















A SOLUTION FOR EVERY AUTOMOTIVE JOB.

For any automotive project, WD-40_® has a product that can make it easy to get it done right. Use on anything from interiors, engines, all the way to removing adhesive from bumper stickers. You have the problem - we have the solution!



FOR US, THE SKY'S NO LIMIT.

Phillips 66° X/C Aviation Oil is an ashless dispersant, multi-grade engine oil specially formulated for year-round use in aircraft piston engines. The ashless dispersant formulation helps minimize the formation of engine sludge, varnish, piston deposits and combustion chamber deposits, resulting in a much cleaner engine compared with the use of straight (non-dispersant) mineral oils.







For more information, call our Technical Hotline at 877.445.9198 | PHILLIPS66LUBRICANTS.COM













Strong & Reliable Pumps

It all starts with the pump - the heart of the system. SAMSON's quality is based on a strong pump platform.

Oil, grease, DEF, coolant, gear lube, windshield wash or used oil; SAMSON has you covered.



Durable Reels & Precision Dispense Handles

SAMSON's hose reels are built to last. Available in open or enclosed models in dual arm steel and single arm aluminum.

SAMSON's proven handle design will work in the most demanding environments, chose from digital or mechanical versions.





Efficient Evacuation Management

We offer the widest range of extractors and evacuators in the market.

Used fluid collection units are available in 18 and 27 gallon units.





We also offer Cubet Bulk Fluid dispensing packages & DEF dispense solutions

Manual Gauge

1.5" Fill Cap

Digital Tank Monitor— Accessible via a Smart Phone


3" Emergency Valve

Lifting Ring

OUR STANDARD PREMIUM TANK PACKAGE

(It's ANYTHING but standard!)

This tank package includes all the features you would expect with the quality you demand! Combining a 275SW (single wall) UIL 142 rated tank with a high volume, dependable Samson 3:1 lube pump and reel mean the highest level of performance. The unit also features a high-flow digital hand meter, digital tank monitor with remote volume info via a smart phone, a 1/2" high pressure hose, manual gauge, and a 1.5" heavy-duty fill cap, plus long-lasting, high-quality powder coat paint to keep the shop looking neat and a 3" EV (Emergency Valve). At 60" long, 27" wide and 44" tall, this tank can be installed in even the tightest spots. It can also be "chained" to double, triple or even quadruple capacity while maintaining all the advanced features and safety of a single tank.



3:1 High-Volume Lube Pump and Reel with 50' Hose



High Flow Digital

dispenses up to 8 gallons per minute

Hand Meter













BALDWIN HEAVY-DUTY FILTERS

QUALITY, COVERAGE, SERVICE, AVAILABILITY.

FIND THE PRODUCT YOU NEED

FILTERS FOR ALL OF YOUR NEEDS

Baldwin's high quality filters are designed for on and off-road vehicles with diesel engines.

- service shops
- farmers
- trucking companies
- contractors
- municipalities
- · fleets or anyone who operates diesel equipment

No matter what the industry or operating conditions, you can be confident that Baldwin's heavy-duty filters provide protection that matches or exceeds the original equipment.



Toll Free:

1-800-822-5394

Cross-Reference Lookup and Other Filter Info: baldwinfilter.com





















Mobil Diesel Efficient

TEI is now a licensed reseller of Mobil Diesel Efficient,™ the first and only differentiated, additized diesel fuel with a quantified on-road fuel economy claim. Mobil Diesel Efficient™ helps improve performance of the engine and fuel system in both on-highway and off-highway applications.

Today's diesel engines have sophisticated fuel systems engineered to meet stringent emissions requirements. Injector deposits can restrict fuel flow, deteriorate fuel spray quality, and result in loss of engine power, increased emissions, and reduced fuel economy. Mobil Diesel Efficient™ fuel helps to prevent deposit formation and clean up existing deposits that may be damaging your engine performance.



Scan the code to learn more about **Mobil Diesel** Efficient.™



Escanee el código para obtener más información sobre Mobil Diesel Efficient.™

English

Español

Please contact your TEI representative or visit the website to learn more: www.texasenterprises.com



Next generation diesel fuel that means business



Increased up time



Decreased maintenance cost



Improved engine power



Improved fuel economy*

TEXAS ENTERPRISES, INC.





ExonMobil Brands

*Applies to Diesel Efficient branded fuel compared to diesel fuel without detergent additive. Vehicle testing showed and average fuel economy improvement of 2 percent. Actual benefits and fuel economy vary depending upon factors such as vehicle/engine type, engine conditions, driving style, and diesel fuel previously used. ©2020 ExxonMobil. All trademarks used herein are trademarks or registered trademarks of ExxonMobil Corporation or one of its subsidiaries. Other trademarks shown are property of their respective owners.

TEXAS ENTERPRISES, INC.













TRIPLE S FUELS

OUR EMPLOYEES. OUR CUSTOMERS. OUR PARTNERS. TO US, YOU'RE FAMILY.

Your success drives everything we do. You're the reason we go the extra mile (and a whole lot further) each and every day. Providing the most comprehensive catalog of automotive maintenance products. Partnering with the top brands and suppliers in the industry.

Delivering exceptional customer service, day or night, rain or shine. Creating enduring relationships that ensure quality and consistency.

Because, when it's all said and done, that's what you do for people you care about. Those who matter to you most. You deliver for them.

